









































































ردیف	مدل	مشخصات فنی	تصویر	قیمت مصرف کننده (ریال)
	Datasheet Link	IP Camera - IR		
1	SM-IP8414M-W 	1/2.8" SONY CMOS Sensor 8MP(20FPS)/3.6 mm fixed Lens/3Stream/H.265+/H.264+ True WDR 120dB /50m IR/0.1 Lux/ICR auto switch, true day / night ROI coding, AWB, 3D DNR, HLC, BLC, defog, Smart IR POE/12VDC/1CH audio input/SD Card Max 256GB /ONVIF/IP67 Metal SMART Functions	 	98,750,000
2	SM-IP8512M-W 	1/2.8" SONY CMOS Sensor 8MP(20FPS)/2.8 mm fixed Lens/3Stream/H.265+/H.264+ True WDR 120dB /30m IR/0.06 Lux/ICR auto switch, true day / night ROI coding, AWB, 3D DNR, HLC, BLC, defog, Smart IR POE/12VDC/1CH audio input and 1CH built-in MIC/SD Card Max 256GB /ONVIF/IP67 Metal SMART Functions	  	93,750,000
3	SM-IP5416HM-WZ	1/2.7" CMOS Sensor 5MP(20FPS)/2.8 -12mm Motorized Varifocal Lens/3Streams/H265+/H264+/ True WDR 120dB /50m IR/0.007 Lux/ICR auto switch, true day / night ROI coding, AWB, 3D DNR, HLC, BLC, Smart IR POE/12VDC/1CH audio input and 1CH built-in MIC/SD Card Max 256GB/ONVIF/IP67 Metal SMART Functions	  	93,500,000
4	SM-IP5412HM-W	1/2.7" CMOS Sensor 5MP(20FPS)/3.6 mm fixed Lens/3Streams/H265+/H264+/ True WDR 120dB /30m IR/0.007 Lux/ICR auto switch, true day / night ROI coding,AWB, 3D DNR, HLC, BLC, Smart IR POE/12VDC/1CH audio input and 1CH built-in MIC/SD Card Max 256GB/ONVIF/IP67 Metal SMART Functions	  	50,000,000
5	SM-IP5512HM-W	1/2.7" CMOS Sensor 5MP(20FPS)/2.8 mm fixed Lens /3Streams/H265+/H264+/ True WDR 120DB /30m IR/0.007 Lux/ICR auto switch, true day / night ROI coding, AWB, 3D DNR, HLC, BLC,Smart IR POE/12VDC/1CH audio input; 1CH built-in MIC/SD Card Max 256GB/ONVIF/IP67(Metal) SMART Functions	  	50,000,000
6	SM-IP4416HM-WVF	1/3" CMOS Sensor 4MP(25FPS)/2.8-12mm Varifocal Lens/3Streams/H265+/H264+/ True WDR 120DB /50m IR/0.005 Lux/ICR auto switch, true day / night ROI coding, AWB, 3D DNR, HLC, BLC, Smart IR POE/12VDC/1CH audio input/SD Card Max 256GB/ONVIF/IP67(Metal) SMART Functions	 	59,250,000
7	SM-IP4412HM-W	1/3" CMOS Sensor 4MP(25FPS)/3.6 mm fixed Lens/3Streams/H265+/H264+/ True WDR 120DB/30m IR/0.005 Lux/ICR auto switch, true day / night ROI coding, AWB, 3D DNR, HLC, BLC, Smart IR POE/12VDC/1CH audio input; 1CH built-in MIC/SD Card Max 256GB/ONVIF/IP67(Metal) SMART Functions	  	43,750,000
8	SM-IP4516HM-WVF	1/3" CMOS Sensor 4MP(25FPS)/2.8-12mm Varifocal Lens/3Streams/H265+/H264+/ True WDR 120DB /50m IR/0.005 Lux/ICR auto switch, true day / night ROI coding, AWB, 3D DNR, HLC, BLC,Smart IR POE/12VDC/1CH audio input; 1CH built-in MIC/SD Card Max 256GB /ONVIF/IP67(Metal) SMART Functions	  	59,250,000






















9	SM-IP4512HM-W	1/3" CMOS Sensor 4MP(25FPS)/2.8 mm fixed Lens/3Streams/H265+/H264+/ True WDR 120DB /30m IR/0.005 Lux/ICR auto switch, true day / night ROI coding, AWB, 3D DNR, HLC, BLC, Smart IR POE/12VDC/1CH audio input; 1CH built-in MIC/SD Card Max 256GB/ONVIF/IP67(Metal) SMART Functions	  	43,750,000
10	SM-IP2412HM-WS	1/2.8" CMOS Sensor 2MP(25FPS)/3.6 mm fixed Lens/3Streams/H265+/H264+/ True WDR 120dB /Starlight /30m IR/0.005 Lux/ICR auto switch, true day / night ROI coding, AWB, 3D DNR, HLC, BLC, Smart IR POE/12VDC/1CH audio input/SD Card Max 256GB/ ONVIF/IP67 Metal SMART Functions	  	40,750,000
11	SM-IP2512HM-WS	1/2.8" CMOS Sensor 2MP(25FPS)/2.8 mm fixed Lens/3Streams/H265+/H264+/ True WDR 120dB /Starlight /30m IR/0.005 Lux/ICR auto switch, true day / night ROI coding, AWB, 3D DNR, HLC, BLC, Smart IR POE/12VDC/1CH audio input and 1CH built-in MIC/SD Card Max 256GB/ONVIF/IP67 Metal SMART Functions	   	40,750,000
12	SM-IP2516HM-VF	1/2.8" CMOS Sensor 2MP(25FPS)/2.8-12mm Varifocal Lens /2Streams/H265+/H264+/ DWDR /50m IR/0.008 Lux/ICR auto switch, true day / night ROI coding, AWB, 3D DNR, HLC, BLC, Smart IR POE/12VDC/1CH audio input; 1CH built-in MIC/SD Card Max 256G/ONVIF/IP67(Metal) SMART Functions	 	48,250,000
13	SM-IPTZ-2MP-25X/MWS 	1/2.8" SONY progressive scan CMOS Sensor 2MP(25FPS)/ 4.8 - 120 mm Motorized Lens/25x Optical Zoom/150m IR/Smart coding H.265S,H.265+/ True WDR 120dB/Starlight 1 Ch input, 1 Ch output Audio/1 Ch input ,1 Ch output Alarm/ SD Card Max 256GB/ IP66 Metal/Outdoor/ DC24V,AC24V or PoE+ SMART Functions /Auto Tracking/ Supports face detection and comparison	   5Inch  	312,500,000
14	SM-IPTZ-2MP-15X/MS	1/2.8" progressive scan CMOS, BSI, NIR+/ 2MP(25FPS) 5 - 75 mm Motorized Lens/15x Optical Zoom/200m SMART IR/H.265+,H.264+/DWDR /Starlight SD Card Max 256GB/IP66, IK10 Metal /DC12V 3A, ,PoE SMART Functions/ Auto Tracking	   4inch	207,500,000
15	SM-IPTZ-4MP-4X/MWSFR	1/2.7" progressive scan CMOS with BSI and NIR+ technology Sensor 4MP(25FPS)/ 2.8-12mm Motorized Lens/4x Optical Zoom/50m IR/H.265+,H.264+/ True WDR 120dB/Starlight 1 Ch input, 1 Ch output Audio/ built-in Mics &Speaker (8m for voice recording, 30m for audible warnings) / 1 Ch input ,1 Ch output Alarm/ SD Card Max 256GB/IP66, IK10 Metal/Outdoor/ DC12V 2A, PoE+ SMART Functions/ Auto Tracking/ Supports face detection and comparison/ Active Deterrence (30m White LED)	    3inch  	170,000,000
16	SM-IPTZ-4MP-4X/MWS	1/2.7" progressive scan CMOS with BSI and NIR+ technology Sensor 4MP(25FPS)/ 2.8-12mm Motorized Lens/4x Optical Zoom/50m IR/H.265+,H.264+/ True WDR 120dB/Starlight 1 Ch input, 1 Ch output Audio/ built-in Mics &Speaker (8m for voice recording, 30m for audible warnings) / 1 Ch input ,1 Ch output Alarm/ SD Card Max 256GB/IP66, IK10 Metal/Outdoor/ DC12V 2A, PoE+ SMART Functions/ Auto Tracking/ Active Deterrence (30m White LED)	   3inch  	147,500,000

17	SM-IP4512CV2-W	1/3" CMOS Sensor 4MP(25FPS)/ 2.8mm fixed Lens/3Streams/ H265+/ H264+ True WDR 120dB/20~ 30m white light view distance/0.003 lux ROI coding, AWB, 3D DNR, HLC, BLC POE/12VDC/ 1CH audio input; 1CH built-in MIC /SD Card Max 256GB/ONVIF/IP67 Metal SMART Functions	  	51,250,000
18	SM-IP2414CV2-W	1/2.8" CMOS Sensor 2MP(25FPS)/ 3.6mm & 2.8 mm fixed Lens/3Streams/ H265+/ H264+ True WDR 120dB/30~ 40m white light view distance/0.002 lux ROI coding, AWB, 3D DNR, HLC, BLC POE/12VDC/ 1CH audio input; 1CH built-in MIC /SD Card Max 256GB/ONVIF/IP67 Metal SMART Functions	  	53,750,000
19	SM-IP2512CV2-W	1/2.8" CMOS Sensor 2MP(25FPS)/ 2.8 mm fixed Lens/3Streams/ H265+/ H264+ True WDR 120dB/20~ 30m white light view distance/0.002 lux ROI coding, AWB, 3D DNR, HLC, BLC POE/12VDC/ 1CH audio input; 1CH built-in MIC /SD Card Max 256GB/ONVIF/IP67 Metal SMART Functions	  	47,500,000
20	SM-IPS2410CVL	1/3" CMOS Sensor 2MP(25FPS)/ 3.6mm fixed Lens/2Streams/ H265+/ H264+ WDR(90dB)/10~ 20m white light view distance/0.0462 lux ROI coding, AWB, 3D DNR, HLC, BLC, defog POE/12VDC/ 1CH built-in MIC/ONVIF/IP67(Metal&Plastic) SMART Functions	  	23,750,000
21	SM-IPS2510CVL	1/3" CMOS Sensor 2MP(25FPS)/ 2.8mm fixed Lens/2Streams/ H265+/ H264+ WDR(90dB)/10~ 20m white light view distance/0.0462 lux ROI coding, AWB, 3D DNR, HLC, BLC, defog POE/12VDC/ 1CH built-in MIC/ONVIF/IP67(Metal&Plastic) SMART Functions	  	23,750,000

IP Camera - Dual Light

22	SM-IPN4410DL	1/3" CMOS Sensor 4MP(25FPS)/3.6mm fixed Lens/2Streams/ H265+/H264+ DWDR /0.09 Lux/ ICR , Auto day/night switch 20m White light view distance; 20m IR view distance ROI coding, AWB, 3D DNR, HLC, BLC POE/12VDC/ 1CH built-in MIC/ONVIF/IP67(Metal&Plastic) SMART Functions-Support SMD (available for human)	   	33,250,000
23	SM-IPN4510DL	1/3" CMOS Sensor 4MP(25FPS)/2.8mm fixed Lens/2Streams/ H265+/H264+ DWDR /0.09 Lux/ ICR , Auto day/night switch 20m White light view distance; 20m IR view distance ROI coding, AWB, 3D DNR, HLC, BLC POE/12VDC/ 1CH built-in MIC/ONVIF/IP67(Metal&Plastic) SMART Functions-Support SMD (available for human)	   	33,250,000
24	SM-IPN2410DL	1/3" CMOS Sensor 2MP(25FPS)/3.6mm fixed Lens/2Streams/ H265+/H264+ DWDR/0.02 Lux/ ICR , Auto day/night switch 20m White light view distance; 20m IR view distance ROI coding, AWB, 3D DNR, HLC, BLC POE/12VDC/ 1CH built-in MIC/ONVIF/IP67(Metal&Plastic) SMART Functions-Support SMD (available for human)	   	26,600,000
25	SM-IPN2510DL	1/3" CMOS Sensor 2MP(25FPS)/2.8mm fixed Lens/2Streams/ H265+/H264+ DWDR /0.02 Lux/ ICR , Auto day/night switch 20m White light view distance; 20m IR view distance ROI coding, AWB, 3D DNR, HLC, BLC POE/12VDC/ 1CH built-in MIC/ONVIF/IP67(Metal&Plastic) SMART Functions-Support SMD (available for human)	   	26,600,000

NVR

26	SM-NLS4016	4CH input & Record 6MP@25fps /H.265S ,H.265+ / Bandwidth(Input 40Mbps/Output 40Mbps) 4CH Audio/Alarm IPC input/ SATA3.0 x 1, max 10T / HDMI-VGA/USB2.0*2/ P2P/ ONVIF/DHCP/DDNS/ RJ45 100Mbps x 1 SMART Function/Supports face detection قابلیت پشتیبانی از تقویم شمسی و منوی فارسی	 VCA 	29,250,000
27	SM-NLS4016-4PE	4CH input & Record 6MP@25fps - 4*100M RJ45 PoE ports H.265S ,H.265+ - Bandwidth(Input 40Mbps/Output 40Mbps) 4CH Audio IPC input/ SATA3.0 x 1, max 10T / HDMI-VGA/USB2.0*2/ P2P/ ONVIF/DHCP/DDNS/ RJ45 100Mbps x 1 SMART Function/Supports face detection قابلیت پشتیبانی از تقویم شمسی و منوی فارسی	 VCA 	47,500,000
28	SM-NLS8016	8CH input & Record 6MP@25fps /H.265S ,H.265+ / Bandwidth(Input 64Mbps/Output 64Mbps) 8CH Audio/Alarm IPC input/ SATA3.0 x 1, max 10T / HDMI-VGA/USB2.0*2/ P2P/ ONVIF/DHCP/DDNS/ RJ45 100Mbps x 1 SMART Function/Supports face detection قابلیت پشتیبانی از تقویم شمسی و منوی فارسی	 VCA 	33,400,000
29	SM-NM1618 	16CH input & Record 8MP(25FPS)/H.265S ,H.265+ / Bandwidth (Input112Mbps/Output 112Mbps) 16 Audio & Alarm IPC/ SATA3.0 x 1, max 8T/ HDMI 4K-VGA/ 2 RCA AUDIO IN & OUT/ USB2.0*2 / P2P/ONVIF/DHCP/DDNS/ RJ45 10-100-1000M SMART Function/Supports face detection قابلیت پشتیبانی از تقویم شمسی و منوی فارسی	 VCA 	78,750,000
30	SM-N2M1628	16CH input & Record 8MP(25FPS)/H.265S ,H.265+ / Bandwidth (Input160Mbps/Output 160Mbps) 16 Audio & Alarm IPC/4 CH local alarm input- 1Ch Output/ SATA3.0 x 2, max 10T per HDD/HDMI 4K-VGA 2 RCA AUDIO IN & OUT/ RS485*2/ USB2.0*2 / P2P/ONVIF/DHCP/DDNS/ RJ45 10-100-1000M SMART Function/Supports face detection قابلیت پشتیبانی از تقویم شمسی و منوی فارسی	 VCA 	90,000,000
31	SM-NM3228 	32CH input & Record 8MP(25FPS)/H.265S ,H.265+ / Bandwidth(Input 112Mbps/Out112Mbps) 32 Audio & Alarm IPC/4 CH local alarm input - 1Ch Output/ SATA3.0 x 2, max 8T per HDD/ HDMI 4K-VGA/2 RCA AUDIO IN & OUT/RS485*2/ USB2.0*2/ P2P/ONVIF/DHCP/DDNS/ RJ45 10-100-1000M SMART Function/Supports face detection قابلیت پشتیبانی از تقویم شمسی و منوی فارسی	 VCA 	105,000,000
32	SM-NM3248 	32CH input & Record 8MP(25FPS)/H.265S ,H.265+ / Bandwidth(Input 112Mbps/Out112Mbps) 32 Audio & Alarm IPC/4 CH local alarm input - 1Ch Output/ SATA3.0 x 4, max 8T per HDD/ HDMI 4K-VGA/2 RCA AUDIO IN & OUT/RS485*2/ USB2.0*2 / P2P/ONVIF/DHCP/DDNS/ RJ45 10-100-1000M SMART Function/Supports face detection قابلیت پشتیبانی از تقویم شمسی و منوی فارسی	 VCA 	172,250,000
SWITCH				
33	SM-LA42P	6 Ports / 4x10/100M POE + 2*10/100M uplink IEEE802.3af/at , built-in power / TOTAL 72W long distance 250m		15,000,000
34	SM-LC41P	5 Ports / 4x10/100/1000M POE + 1 Gigabit uplink IEEE802.3af/at , built-in power / TOTAL 72W long distance 250m		18,000,000
35	SM-LB82P	10 Ports / 8x10/100M POE + 2 Gigabit uplink IEEE802.3af/at , built-in power / TOTAL 120W long distance 250m		23,000,000
36	SM-LC82P-SF	10 Ports / 8x10/100/1000M POE + 2 Gigabit uplink & 1SFP port(1000Mbps) IEEE802.3af/at , built-in power / TOTAL 120W long distance 250m		30,000,000

37	SM-LB162P-SF	18 Ports / 16x10/100M POE + 2 Gigabit uplink & 1SFP port(1000Mbps) IEEE802.3af/at , built-in power / TOTAL 300W * 1 long distance 250m		62,500,000
38	SM-LC162P-SF	18 Ports / 16x10/100/1000M POE + 2 Gigabit uplink & 1SFP port(1000Mbps) IEEE802.3af/at , built-in power / TOTAL 300W * 1 long distance 250m		78,500,000
39	SM-LB244P	28 Ports/24x10/100M POE + 4 Gigabit uplink IEEE802.3af/at , built-in power / TOTAL 150W * 3 long distance 250m		100,000,000
40	SM-LA5NP	Provide 5x10/100M non-POE adaptive RJ45 ports All ports can achieve wire-speed forwarding IEEE 802.3u, External Power DC : 5V- 2A plastic cabinet , small and exquisite		3,375,000
41	SM-LA8NP	Provide 8x10/100M non-POE adaptive RJ45 ports All ports can achieve wire-speed forwarding IEEE 802.3x, External Power DC : 5V- 2A plastic cabinet , small and exquisite		4,700,000
42	SM-LC5NP	Provide 5x10/100/1000M non-POE adaptive RJ45 ports All ports can achieve wire-speed forwarding IEEE 802.3ab, External Power DC : 5V- 2A Metal cabinet , small and exquisite		8,350,000
43	SM-LC8NP	Provide 8x10/100/1000M non-POE adaptive RJ45 ports All ports can achieve wire-speed forwarding IEEE 802.3x, External Power DC : 12V- 0.5A Metal cabinet , small and exquisite		13,250,000

کلیه محصولات لیست با گارانتی شرکت سیماران می باشند



