







































ردیف	مدل	مشخصات فنی	تصویر	قیمت مصرف کننده (ریال)
IR 4in1 Camera				
1	SM-AR828HZ	1/2.5" SONY CMOS Sensor 8MP (3840*2160)@ 15fps/5MP@20fps/4MP@30fps high resolution TVI/AHD/CVI/CVBS 2.8-12mm motorized lens/ 0.01LUX/ 50m IR 12VDC/ICR/COC,3DNR,BLC,AWB,D&N,Sharpness,Smart IR, Metal IP67		92,125,000
2	SM-AR4001	1/2.8" SONY CMOS Sensor 2MP (1920*1080) TVI/AHD/CVI/CVBS 3.6mm Fixed lens/ 0.001LUX/ 30m IR 12VDC/ICR/COC/ True WDR120DB, Starlight 3DNR,AGC,BLC,AWB,HLC,D&N,LSC,Sharpness,Smart IR,Motion Detection,Privacy Mask Metal IP67	 WDR Starlight	25,850,000
3	SM-D4010ARV	1/2.8" SONY CMOS Sensor 2MP (1920*1080) TVI/AHD/CVI/CVBS 2.8mm Fixed lens/ 0.001LUX/ 30m IR 12VDC/ICR/COC/ True WDR120DB/ Starlight 3DNR,AGC,BLC,AWB,HLC,D&N,LSC,Sharpness,Smart IR,Motion Detection,Privacy Mask Metal IP67	 WDR Starlight	25,850,000
4	SM-IR348VF	1/2.9" SONY CMOS Sensor 2MP (1920*1080) TVI/AHD/CVI/CVBS 2.8-12 mm VF lens /0.01LUX/ 40m IR 12VDC/ICR/D-WDR,Brightness, Sharpness, Shutter,AGC,BLC,D&N,Defog,3DNR,AWB,UTC Metal IP66		31,625,000
Light Explorer CV - Warm Light Full Color Camera				
5	NEW SM-AR524MCVA	1/2.5" CMOS Sensor 5MP (2560*1936)@ 20fps/4MP@30fps TVI & AHD & CVI - 24/7 full color imaging 3.6mm Fixed lens/ 0 lux (LED ON) 30 m LED Distance 12VDC/COC/DWDR, 1CH built-in MIC 2DNR,AGC,BLC,AWB,Sharpness Smart LED /IP67 (Metal)	 Full-Color	29,097,500
6	SM-AR512MCVA	1/2.5" CMOS Sensor 5MP (2560*1936)@ 20fps/4MP@30fps TVI & AHD & CVI-24/7 full color imaging 3.6mm Fixed lens/ 0 lux (LED ON) / 20m LED Distance 12VDC/COC/DWDR, 1CH built-in MIC 2DNR,AGC,BLC,AWB,Sharpness,Smart LED, IP67 (Metal&Plastic)	 Full-Color	27,120,000
7	SM-D523MCVA	1/2.5" CMOS Sensor 5MP (2560*1936)@ 20fps/4MP@30fps TVI & AHD & CVI-24/7 full color imaging 3.6mm Fixed lens/ 0 lux (LED ON)/ 30m LED Distance 12VDC/COC/DWDR, 1CH built-in MIC 2DNR,AGC,BLC,AWB,Sharpness,Smart LED, Metal IP67	 Full-Color	29,097,500
8	SM-D511MCVA	1/2.5" CMOS Sensor 5MP (2560*1936)@ 20fps/4MP@30fps TVI & AHD & CVI - 24/7 full color imaging 3.6mm Fixed lens/ 0 lux (LED ON)/ 20m LED Distance 12VDC/COC/DWDR, 1CH built-in MIC 2DNR,AGC,BLC,AWB,Sharpness,Smart LED IP67 (Metal&Plastic)	 Full-Color	27,120,000



9	NEW SM-AR224MCVA	1/2.8" CMOS Sensor/2MP(1920*1080) TVI & AHD & CVI & CVBS- 24/7 full color imaging 2.8mm Fixed lens/ 0 lux (LED ON)/ 30m LED Distance 12VDC/COC/DWDR,1CH built-in MIC 2DNR,AGC,BLC,HLC,AWB,Sharpness,Smart LED IP67(Metal)		22,882,500
10	SM-AR212MCVA	1/2.8" CMOS Sensor/2MP(1920*1080) TVI & AHD & CVI & CVBS- 24/7 full color imaging 2.8mm Fixed lens/ 0 lux (LED ON)/ 20m LED Distance 12VDC/COC/DWDR,1CH built-in MIC 2DNR,AGC,BLC,HLC,AWB,Sharpness,Smart LED IP67(Metal&Plastic)		20,905,000
11	SM-D211MCVA	1/2.8" CMOS Sensor/2MP(1920*1080) TVI & AHD & CVI & CVBS- 24/7 full color imaging 2.8mm Fixed lens/ 0 lux (LED ON)/ 20m LED Distance 12VDC/COC/DWDR,1CH built-in MIC 2DNR,AGC,BLC,HLC,AWB,Sharpness,Smart LED, IP67(Metal&Plastic)		20,905,000
12	NEW SM-CVM540A	1/2.9" CMOS Sensor/5MPLite (2592*1944)@20fps TVI& AHD& CVI& CVBS- 24/7 full color imaging 3.6mm Fixed lens /0.1LUX/20-30m white light view distance DC12V/COC/DWDR,1CH built-in MIC 2DNR,BLC,AWB,Smart LED, Metal IP66		19,085,000
13	NEW SM-CVM541A	1/2.9" CMOS Sensor/5MPLite (2592*1944)@20fps TVI& AHD& CVI& CVBS- 24/7 full color imaging 3.6mm Fixed lens /0.1LUX/20-30m white light view distance DC12V/COC/DWDR,1CH built-in MIC 2DNR,BLC,AWB,Smart LED, Metal IP66		19,250,000
14	NEW SM-CVM542A	1/2.9" CMOS Sensor/5MPLite (2592*1944)@20fps TVI& AHD& CVI& CVBS- 24/7 full color imaging 3.6mm Fixed lens /0.1LUX/20-30m white light view distance DC12V/COC/DWDR,1CH built-in MIC 2DNR,BLC,AWB,Smart LED, Metal IP66		19,085,000
15	NEW SM-CVM543A	1/2.9" CMOS Sensor/5MPLite (2592*1944)@20fps TVI& AHD& CVI& CVBS- 24/7 full color imaging 3.6mm Fixed lens /0.1LUX/20-30m white light view distance DC12V/COC/DWDR,1CH built-in MIC 2DNR,BLC,AWB,Smart LED, Metal IP66		18,700,000
16	NEW SM-CVM553A	1/2.9" CMOS Sensor/5MPLite (2592*1944)@20fps TVI& AHD& CVI& CVBS- 24/7 full color imaging 3.6mm Fixed lens /0.1LUX/40m white light view distance DC12V/COC/DWDR,1CH built-in MIC 2DNR,BLC,AWB,Smart LED, Metal IP66		24,475,000
17	NEW SM-D525CVMA	1/2.9" CMOS Sensor/5MPLite (2592*1944)@20fps TVI& AHD& CVI& CVBS- 24/7 full color imaging 3.6mm Fixed lens /0.1LUX/40m white light view distance DC12V/COC/DWDR,1CH built-in MIC 2DNR,BLC,AWB,Smart LED, Metal IP66		18,865,000
18	NEW SM-D527CVMA	1/2.9" CMOS Sensor/5MPLite (2592*1944)@20fps TVI& AHD& CVI& CVBS- 24/7 full color imaging 3.6mm Fixed lens /0.1LUX/40m white light view distance DC12V/COC/DWDR,1CH built-in MIC 2DNR,BLC,AWB,Smart LED, IP66 (Metal&Plastic)		17,985,000
19	NEW SM-CVM240A	1/2.9" CMOS Sensor/2MP (1920*1080) TVI & AHD & CVI & CVBS - 24/7 full color imaging 3.6mm Fixed lens /0.1LUX/20-30m white light view distance DC12V/COC/DWDR,1CH built-in MIC 2DNR,BLC,AWB,Smart LED, Metal IP66		18,425,000

20	NEW SM-CVM243A	1/2.9" CMOS Sensor/2MP (1920*1080) TVI & AHD & CVI & CVBS - 24/7 full color imaging 3.6mm Fixed lens /0.1LUX/20-30m white light view distance DC12V/COC/DWDR,1CH built-in MIC 2DNR,BLC,AWB,Smart LED, Metal IP66		18,370,000
21	NEW SM-CVM239A	1/2.9" CMOS Sensor/2MP (1920*1080) TVI & AHD & CVI & CVBS - 24/7 full color imaging 3.6mm Fixed lens /0.1LUX/40m white light view distance DC12V/COC/DWDR,1CH built-in MIC 2DNR,BLC,AWB,Smart LED, Metal IP66		18,260,000
22	NEW SM-CVM253A	1/2.9" CMOS Sensor/2MP (1920*1080) TVI & AHD & CVI & CVBS - 24/7 full color imaging 3.6mm Fixed lens /0.1LUX/40m white light view distance DC12V/COC/DWDR,1CH built-in MIC 2DNR,BLC,AWB,Smart LED, Metal IP66		23,925,000
23	SM-CVM237A	1/2.9" CMOS Sensor/2MP (1920*1080) TVI & AHD & CVI & CVBS - 24/7 full color imaging 3.6mm Fixed lens /0.1LUX/20-30m white light view distance DC12V/COC/DWDR,1CH built-in MIC 2DNR,BLC,AWB,Smart LED, Metal IP66		17,875,000
24	SM-CVM236A	1/2.9" CMOS Sensor/2MP(1920*1080) TVI & AHD & CVI & CVBS- 24/7 full color imaging 3.6mm Fixed lens / 0.1LUX/20-30m white light view distance DC12V/COC/DWDR,1CH built-in MIC 2DNR,BLC,AWB,Smart LED, Metal IP66		18,260,000
25	SM-CVM233A	1/2.9" CMOS Sensor/2MP(1920*1080) TVI & AHD & CVI & CVBS- 24/7 full color imaging 3.6mm Fixed lens / 0.1LUX/20-30m white light view distance DC12V/COC/DWDR,1CH built-in MIC 2DNR,BLC,AWB,Smart LED, IP66 (Metal&Plastic)		17,435,000
26	SM-CVM244A	1/2.9" CMOS Sensor/2MP(1920*1080) TVI & AHD & CVI & CVBS- 24/7 full color imaging 3.6mm Fixed lens / 0.1LUX/20-30m white light view distance DC12V/COC/DWDR,1CH built-in MIC 2DNR,BLC,AWB,Smart LED, Metal IP66		18,535,000
27	SM-CVM218A	1/2.9" CMOS Sensor/2MP(1920*1080) TVI & AHD & CVI & CVBS- 24/7 full color imaging 3.6mm Fixed lens / 0.1LUX/20m white light view distance DC12V/COC/DWDR,1CH built-in MIC 2DNR,BLC,AWB,Smart LED, Plastic		14,795,000
28	NEW SM-CVM217A	1/2.9" CMOS Sensor/2MP (1920*1080) TVI & AHD & CVI & CVBS - 24/7 full color imaging 3.6mm Fixed lens /0.1LUX/20-30m white light view distance DC12V/COC/DWDR,1CH built-in MIC 2DNR,BLC,AWB,Smart LED, Plastic		16,060,000
29	NEW SM-D225CVMA	1/2.9" CMOS Sensor/2MP (1920*1080) TVI & AHD & CVI & CVBS - 24/7 full color imaging 3.6mm Fixed lens /0.1LUX/40m white light view distance DC12V/COC/DWDR,1CH built-in MIC 2DNR,BLC,AWB,Smart LED, Metal IP66		18,425,000
30	SM-D220CVMA	1/2.9" CMOS Sensor/2MP (1920*1080) TVI & AHD & CVI & CVBS - 24/7 full color imaging 3.6mm Fixed lens /0.1LUX/20m white light view distance DC12V/COC/DWDR,1CH built-in MIC 2DNR,BLC,AWB,Smart LED, Metal IP66		17,820,000

31	NEW SM-D226CVMA	1/2.9" CMOS Sensor/2MP (1920*1080) TVI & AHD & CVI & CVBS - 24/7 full color imaging 3.6mm Fixed lens / 0.1LUX/40m white light view distance DC12V/COC/DWDR,1CH built-in MIC 2DNR,BLC,AWB,Smart LED, IP66 (Metal&Plastic)		17,600,000
32	SM-D224CVMA	1/2.9" CMOS Sensor/2MP(1920*1080) TVI & AHD & CVI & CVBS- 24/7 full color imaging 3.6mm Fixed lens / 0.1LUX/20-30m white light view distance DC12V/COC/DWDR,1CH built-in MIC 2DNR,BLC,AWB,Smart LED, IP66 (Metal&Plastic)		16,555,000
33	SM-D223CVMA	1/2.9" CMOS Sensor/2MP(1920*1080) TVI & AHD & CVI & CVBS- 24/7 full color imaging 3.6mm Fixed lens / 0.1LUX/20-30m white light view distance DC12V/COC/DWDR,1CH built-in MIC 2DNR,BLC,AWB,Smart LED, Plastic		14,575,000
34	NEW SM-CV243FA	1/3" CMOS Sensor/2MP(1920*1080) TVI & AHD & CVI & CVBS- 24/7 full color imaging 3.6mm Fixed lens / 0.01LUX/20-30m white light view distance 12VDC/DWDR,1CH built-in MIC BLC,2DNR,AWB,UTC, Metal IP66		14,135,000
35	SM-CV236FA	1/3" CMOS Sensor/2MP(1920*1080) TVI & AHD & CVI & CVBS- 24/7 full color imaging 3.6mm Fixed lens / 0.01LUX/20-30m white light view distance 12VDC/DWDR,1CH built-in MIC BLC,2DNR,AWB,UTC, Metal IP66		14,355,000
36	SM-CV233FA	1/3" CMOS Sensor/2MP(1920*1080) TVI & AHD & CVI & CVBS- 24/7 full color imaging 3.6mm Fixed lens / 0.01LUX/20-30m white light view distance 12VDC/DWDR,1CH built-in MIC BLC,2DNR,AWB,UTC, IP66 (Metal&Plastic)		13,640,000
37	NEW SM-D225CVFA	1/3" CMOS Sensor/2MP(1920*1080) TVI & AHD & CVI & CVBS- 24/7 full color imaging 3.6mm Fixed lens / 0.01LUX/40m white light view distance 12VDC/DWDR,1CH built-in MIC BLC,2DNR,AWB,UTC, Metal IP66		14,300,000
38	SM-D224CVFA	1/3" CMOS Sensor/2MP(1920*1080) TVI & AHD & CVI & CVBS- 24/7 full color imaging 3.6mm Fixed lens / 0.01LUX/20m white light view distance 12VDC/DWDR,1CH built-in MIC BLC,2DNR,AWB,UTC, IP66 (Metal&Plastic)		12,705,000
39	SM-D223CVFA	1/3" CMOS Sensor/2MP(1920*1080) TVI & AHD & CVI & CVBS- 24/7 full color imaging 3.6mm Fixed lens / 0.01LUX/20-30m white light view distance 12VDC/DWDR,1CH built-in MIC BLC,2DNR,AWB,UTC, Plastic		10,945,000
XVR				
40	SM-XVS1401L2	4CH TVI&AHD&CVI 2MP Live(25fps) & Record 1080P Lite & 720P(25fps) /2CH (Up to 6CH) IP Up to 2MP(25fps) H.265/1 Audio input - 1 Output/ HDD SATAx1, up to 8TB/HDMI-VGA/USB2.0*2/P2P/DDNS/ Network RJ45 100Mbps x 1 - Max 10/30 Mbps incoming/Outgoing bandwidth Support coaxial audio Smart Functions قابلیت پشتیبانی از تقویم شمسی و منوی فارسی		37,855,000

41	SM-XVS1801L2	<p>8CH TVI&AHD&CVI 2MP Live(25fps) & Record 1080P Lite/720P: 25fps(PAL)(only CH 1 supports) 1080P Lite/720P: 12fps(other channels support) & 720P Lite: 25fps /2CH(Up to10CH) IP Up to 5MP(25fps) H.265/1 Audio input - 1 Output/ HDD SATAx1, up to 8TB/HDMI-VGA/USB2.0*2/P2P/DDNS/ Network RJ45 100Mbps x 1 - Max 16/60 Mbps incoming/Outgoing bandwidth Support coaxial audio Smart Functions قابلیت پشتیبانی از تقویم شمسی و منوی فارسی</p>	 	46,330,000
42	SM-XVN11601L2-V2	<p>16CH TVI&AHD&CVI 2MP Live(25fps) & Record 1080P Lite/720P: 25fps(PAL)(only CH 1 supports) 1080P Lite/720P: 12fps(other channels support) & 720P Lite: 25fps /2CH (Up to18CH) IP Up to 5MP(25fps) H.265/1 Audio input - 1 Output/ HDD SATAx1, up to 8TB/HDMI-VGA-CVBS/ USB2.0*2/P2P/DDNS/Network RJ45 100Mbps x 1 - Max 16/80 Mbps incoming/Outgoing bandwidth Support coaxial audio-Support USB 3G/4G Dongle Smart Functions قابلیت پشتیبانی از تقویم شمسی و منوی فارسی</p>	 	79,665,000
43	SM-XVN1401M5-AI	<p>4CH TVI&AHD&CVI: 5MP Lite@20fps, 4MP Lite / 1080P / 720P real time preview & Record 5MP Lite@10fps,4MP Lite/1080P@12fps, 1080P Lite/720P@25fps(PAL)/ 2CH (Up to 6CH) IP Up to 5MP(25fps) H.265+ /1 Audio input - 1 Output /HDD SATA x 1, up to 10TB/ HDMI-VGA-CVBS/USB 2.0 x 2/ RS485 x 1, connect to PTZ or keyboard / P2P/DDNS/Network RJ45 100Mbps x 1 - Max 16/40 Mbps incoming/Outgoing bandwidth Support coaxial audio-Support USB 3G/4G Dongle Smart Functions(IPC) AI Functions(Analog : 4CH SMD,1CH Perimeter) قابلیت پشتیبانی از تقویم شمسی و منوی فارسی</p>	  	54,522,500
44	SM-XVN1801M5-AI	<p>8CH TVI&AHD&CVI: 5MP Lite@20fps, 4MP Lite / 1080P / 720P real time preview & Record 5MP Lite@10fps,4MP Lite/1080P@12fps, 1080P Lite/720P@25fps(PAL)/ 4CH (Up to 12CH) IP Up to 5MP(25fps) H.265+ /1 Audio input - 1 Output /HDD SATA x 1, up to 10TB/ HDMI-VGA-CVBS/USB 2.0 x 2/ RS485 x 1, connect to PTZ or keyboard / P2P/DDNS/Network RJ45 100Mbps x 1 - Max 32/60 Mbps incoming/Outgoing bandwidth Support coaxial audio-Support USB 3G/4G Dongle Smart Functions(IPC) AI Functions(Analog : 8CH SMD,1CH Perimeter) قابلیت پشتیبانی از تقویم شمسی و منوی فارسی</p>	  	89,270,000
45	SM-XVN11601M5-AI	<p>16CH TVI&AHD&CVI: 5MP Lite@20fps, 4MP Lite / 1080P / 720P real time preview & Record 5MP Lite@10fps,4MP Lite/ 1080P@12fps, 1080P Lite/720P@25fps / 8CH (Up to 16CH) IP Up to 5MP(25fps) H.265+ /1 Audio input - 1 Output/ HDD SATA x 1, up to 10TB/HDMI-VGA-CVBS/ USB 2.0*2 /RS485 x 1, connect to PTZ or keyboard / P2P/DDNS/Network RJ45 100Mbps x 1 - Max 32/80 Mbps incoming/Outgoing bandwidth Support coaxial audio-Support USB 3G/4G Dongle Smart Functions(IPC) AI Functions(Analog : 16CH SMD,1CH Perimeter) قابلیت پشتیبانی از تقویم شمسی و منوی فارسی</p>	  	177,975,000

46	SM-XVN21608M5-AI	<p>16CH TVI&AHD&CVI: 5MP Lite@20fps, 4MP Lite / 1080P / 720P real time preview & Record 5MP Lite@10fps,4MP Lite/1080P@12fps(PAL) 1080P Lite/720P@25fps (PAL)/ 8CH (Up to 16CH) IP Up to 5MP/ 25fps (PAL)</p> <p>H.265+/HDMI-VGA-CVBS/ Audio IN RCA x 8 - OUT RCA x 1 / Alarm IN 16 CH - OUT 4 CH / SATA x 2, E-SATA x 1, up to 10TB Per HDD/ RS485 x 1, connect to PTZ or keyboard / USB 2.0 x1; USB3.0x1 / Power DC12V / 4A Network RJ45 10* 100* 1000Mbps x 1/Bandwidth 32Mbps(Max.64Mbps)</p> <p>Support coaxial audio-Support USB 3G/4G Dongle Smart Functions(IPC)</p> <p>AI Functions(Analog : 16CH SMD,1CH Perimeter)</p> <p>قابلیت پشتیبانی از تقویم شمسی و منوی فارسی</p>	  	223,175,000
47	SM-XVN43216M5-AI	<p>32CH TVI&AHD&CVI: 5MP Lite@20fps, 4MP Lite / 1080P / 720P real time preview & Record 5MP Lite@10fps,4MP Lite/1080P@12fps, 1080P Lite/720P@25fps / 8CH(Up to 24CH) IP Up to 5MP/ 25fps</p> <p>H.265+/16 Audio input - 1 Output/ Alarm IN 16CH - OUT 4CH / SATA x 4, E-SATA x 1, up to 10TB Per HDD / HDMI-VGA-CVBS/ USB 2.0 x1; USB3.0x1/RS485 x 2, connect to PTZ or keyboard / P2P/DDNS /Network RJ45 10* 100*1000Mbps x 1</p> <p>40(Max. 88)/160 Mbps incoming/Outgoing bandwidth Support coaxial audio-Support USB 3G/4G Dongle Smart Functions(IPC)</p> <p>AI Functions(Analog : 16CH SMD,1CH Perimeter)</p> <p>قابلیت پشتیبانی از تقویم شمسی و منوی فارسی</p>	  	508,500,000
48	SM-XVN1401H4K-AI	<p>4CH TVI&AHD&CVI : 4K@15fps, 5MP@20fps, 4MP/3MP/1080P/720P real time preview & Record 4K@8fps, 4K Lite@12fps, 5MP@12fps, 5MP Lite@20fps, 4MP/3MP@12fps, 4MP Lite/1080P/720P@25fps/ 2CH (Up to 6CH) IP Up to 8MP(20fps),lower than 8MP @25fps</p> <p>H.265+/ 1 Audio input - 1 Output /HDD SATA x 1, up to 10TB/ 4K HDMI-VGA-CVBS/USB 2.0 x 2/ RS485 x 1, connect to PTZ or keyboard / P2P/DDNS/Network RJ45 100Mbps x 1 - Max 16/40 Mbps incoming/Outgoing bandwidth</p> <p>Support coaxial audio-Support USB 3G/4G Dongle Smart Functions(IPC)</p> <p>AI Functions(Analog : 4CH SMD,1CH Perimeter)</p> <p>قابلیت پشتیبانی از تقویم شمسی و منوی فارسی</p>	  	93,225,000
49	SM-XVN1801H4K-AI	<p>8CH TVI&AHD&CVI : 4K@15fps, 5MP@20fps, 4MP/3MP/1080P/720P real time preview & Record 4K@8fps, 4K Lite@12fps, 5MP@12fps, 5MP Lite@20fps, 4MP/3MP@12fps, 4MP Lite/1080P/720P@25fps/ 8CH (Up to 16CH) IP Up to 8MP(25fps)</p> <p>H.265+/ 1 Audio input - 1 Output /HDD SATA x 1, up to 10TB/ 4K HDMI-VGA-CVBS/USB 2.0 x 2/ RS485 x 1, connect to PTZ or keyboard / P2P/DDNS/Network RJ45 100Mbps x 1 - Max 32/80 Mbps incoming/Outgoing bandwidth</p> <p>Support coaxial audio-Support USB 3G/4G Dongle Smart Functions(IPC)</p> <p>AI Functions(Analog : 8CH SMD,1CH Perimeter)</p> <p>قابلیت پشتیبانی از تقویم شمسی و منوی فارسی</p>	  	163,850,000


50	SM-XVN21601H4K-AI	<p>16CH TVI&AHD&CVI : 4K@15fps, 5MP@20fps, 4MP/3MP/1080P/720P real time preview & Record 4K@8fps, 4K Lite@12fps, 5MP@12fps, 5MP Lite@20fps, 4MP/3MP@12fps, 4MP Lite/1080P/720P@25fps/ 8CH(Up to 16CH) IP Up to 8MP(25fps)</p> <p>H.265+/ 1 Audio input - 1 Output /HDD SATA x 2, up to 10TB/ 4K HDMI-VGA-CVBS/USB 3.0 x 1; USB2.0 x 1 /RS485 x 1, connect to PTZ or keyboard / P2P/DDNS/Network RJ45 1000Mbps x 1 - Max 32/96 Mbps incoming/Outgoing bandwidth</p> <p>Support coaxial audio-Support USB 3G/4G Dongle Smart Functions(IPC)</p> <p>AI Functions(Analog : 16CH SMD,1CH Perimeter)</p> <p>قابلیت پشتیبانی از تقویم شمسی و منوی فارسی</p>	 	296,625,000
----	-------------------	--	---	-------------

کابل کوآکسیال RG59


51	SM-C750M	<p>کابل کوآکسیال ترکیبی RG59 + POWER مغزی مس 0/7 شیلد آلومینیوم مسوار 0/12 برقی رشته 20 رشته 0/2 آلومینیوم مسوار 1 عدد فرقره 300 متری</p>		Call
----	----------	---	--	------

دزدگیر

52	SM-CP520	<p>مرکز کنترل دزدگیر 4 زون با سیم + 1 زون بی سیم (با قابلیت گسترش) کنترل دستگاه از طریق تماس، پیامک و نرم افزار IOS و ANDROID 20 حافظه تلفن (GSM, SMS) 2 عدد خروجی قابل کنترل با پیام کوتاه و صوتی زون 24 ساعته و حالت نیمه فعال و دینگ دانگ و تاخیری 1 خروجی AUX جهت تغذیه تجهیزات دسترسی آسان به تنظیمات دستگاه از طریق پنل دزدگیر دسترسی به منو از طریق پسورد دارای سیستم هشدار سیگنال مزاحم</p>		79,975,000
----	----------	---	---	------------

53	SM-SD440PR	<p>چشمی دزدگیر حرکتی باسیم Nicera500 BP Sensor type ولتاژ کاری 9 الی 15 ولت 14 متر برد آشکار سازی 140 درجه زاویه آشکار سازی passive infrared دارای قابلیت تنظیم میزان حساسیت قابلیت تنظیم LED بصورت ON/OFF مجهز به ورودی Tamper دارای انتخاب NC - NO خروجی آلارم رله</p>		7,065,000
----	------------	--	--	-----------

54	SM-W209P2	<p>چشمی دزدگیر وزنی باسیم Nicera200 BP Sensor type ولتاژ تغذیه 12 الی 24 ولت جریان مصرفی 15 میلی آمپر محدوده ی ارتفاع نصب 1.5 تا 2.4 متر خروجی آلارم 220 ولت / 3 آمپر قابل نصب بر روی دیوار و سقف 100 درجه زاویه آشکار سازی 10 متر برد آشکار سازی</p>		8,195,000
----	-----------	---	---	-----------

55	اسپیکر دزدگیر	<p>ولتاژ کاری 9 الی 12 ولت دارای پایه برای تنظیم جهت صدای خروجی 25 وات 8 اهم</p>		421,000
----	---------------	--	---	---------

کلیه محصولات لیست با گارانتی شرکت سیماران می باشند



simaran_camera



cctv_simaran

