

ردیف	سیماران	مشخصات فنی	تصویر	قیمت مصرف کننده (ریال)
Low level-IR				
1	SM-D721IRV	1/2.9" CMOS Sensor/2MP 1080P TVI & AHD & CVI & CVBS/ 3.6mm Fixed lens / 0.1LUX/24PCS IR-20m/ 12 VDC/ICR/DWDR, 3-DNR, BLC,D&N,AGC ,UTC Function, Metal IP66		5,337,500
2	SM-D722IR	1/2.9" CMOS Sensor/2MP 1080P TVI & AHD & CVI & CVBS/ 3.6mm Fixed lens / 0.1LUX/18PCS SMD IR-20m/ 12 VDC/ICR/DWDR, 3-DNR, BLC,D&N,AGC ,UTC Function, Plastic		4,437,500
3	SM-IR719	1/2.9" CMOS Sensor/2MP 1080P or TVI & AHD & CVI & CVBS/ 3.6mm Fixed lens / 0.1LUX/18PCS SMD IR-20m/ 12 VDC/ICR/DWDR, 3-DNR, BLC,D&N,AGC ,UTC Function, Plastic		4,625,000
4	SM-IR728	1/2.9" CMOS Sensor/2MP 1080P TVI & AHD & CVI & CVBS/ 3.6mm Fixed lens/ 0.1LUX/18PCS SMD IR-20m/ 12 VDC/ICR/DWDR, 3-DNR, BLC,D&N,AGC ,UTC Function, Metal IP66		5,500,000
5	SM-IR729	1/2.9" CMOS Sensor/2MP 1080P TVI & AHD & CVI & CVBS/ 3.6mm Fixed lens / 0.1LUX/18PCS SMD IR-20m/ 12 VDC/ICR/DWDR, 3-DNR, BLC,D&N,AGC ,UTC Function, Metal IP66		5,462,500
6	SM-IR738	1/2.9" CMOS Sensor/2MP 1080P TVI & AHD & CVI & CVBS/ 3.6mm Fixed lens/ 0.1LUX/36pcs IR-30m/ 12 VDC/ICR/DWDR, 3-DNR, BLC,D&N,AGC ,UTC Function, Metal IP66		5,462,500
7	SM-IR736	1/2.9" CMOS Sensor/2MP 1080P TVI & AHD & CVI & CVBS/ 3.6mm Fixed lens/ 0.1LUX/28pcs IR-25m/ 12 VDC/ICR/DWDR, 3-DNR, BLC,D&N,AGC ,UTC Function, Metal IP66		5,612,500
8	SM-IR732	1/2.9" CMOS Sensor/2MP 1080P TVI & AHD & CVI & CVBS/ 3.6mm Fixed lens/ 0.1LUX/36pcs IR-30m/ 12 VDC/ICR/DWDR, 3-DNR, BLC,D&N,AGC ,UTC Function, Metal IP66		5,612,500
9	NEW SM-IR747	1/2.9" CMOS Sensor/2MP 1080P TVI & AHD & CVI & CVBS/ 3.6mm Fixed lens/ 0.1LUX/24PCS SMD IR-35m/ 12 VDC/ICR/DWDR, 3-DNR, BLC,D&N,AGC ,UTC Function, Metal IP66		6,187,500
10	SM-AR752	1/2.9" CMOS Sensor/2MP 1080P TVI & AHD & CVI & CVBS/ 3.6mm Fixed lens/ 0.1LUX/4 pcs Array IR-60m/ 12 VDC/ICR/DWDR, 3-DNR, BLC,D&N,AGC ,UTC Function, Metal IP66		6,912,500
High level-IR				
11	NEW SM-AR522M	1/2.5" CMOS Sensor/5MP(2560*1936)@20fps TVI & AHD & CVI /3.6mm Fixed lens/ 0.01LUX/30m IR/ 12 VDC/ICR/COC/DWDR, 2DNR,AGC,BLC,AWB,D&N,Sharpness, Metal IP67		11,375,000
12	NEW SM-AR516M	1/2.5" CMOS Sensor/5MP(2560*1936)@20fps TVI & AHD & CVI /3.6mm Fixed lens/ 0.01LUX/50m IR/ 12 VDC/ICR/COC/DWDR, 2DNR,AGC,BLC,AWB,D&N,Sharpness, IP66(Metal&Plastic)		12,187,500

13	NEW SM-D511MV	1/2.5" CMOS Sensor/5MP(2560*1936)@20fps TVI & AHD & CVI /3.6mm Fixed lens/ 0 lux with IR/ 20m IR/ 12 VDC/ICR/COC/ 2DNR,BLC,AWB,D&N,Sharpness IP66(Metal&Plastic)		10,125,000
14	NEW SM-D511MVA	1/2.5" CMOS Sensor/5MP(2560*1936)@20fps TVI & AHD & CVI /3.6mm Fixed lens/ 0 lux with IR/ 20m IR/ Support coaxial audio transmission 12 VDC/ICR/COC/ 2DNR,BLC,AWB,D&N,Sharpness IP66(Metal&Plastic)		11,375,000
15	SM-D3010ARV/TVI	1/2.9" CMOS Sensor/2MP(1920*1080) TVI & AHD & CVI & CVBS/ 2.8mm Fixed lens/ 0.01LUX/30m IR/ 12 VDC/ICR/COC/DWDR, 3DNR,AGC,BLC,AWB,D&N,Sharpness,SmartIR,Metal IP67		7,500,000
16	NEW SM-AR222M	1/2.7" CMOS Sensor/2MP(1920*1080) TVI & AHD & CVI & CVBS/ 2.8mm Fixed lens/ 0 lux (IR ON)/ 30m IR 12 VDC/ICR/COC/DWDR, 2DNR,AGC,BLC,AWB,D&N,Sharpness,Smart IR, Metal IP67		7,962,500
17	NEW SM-AR216M	1/2.7" CMOS Sensor/2MP(1920*1080) TVI & AHD & CVI & CVBS/ 2.8mm Fixed lens/ 0 lux (IR ON)/ 50m IR 12 VDC/ICR/COC/DWDR, 2DNR,AGC,BLC,AWB,D&N,Sharpness,Smart IR, IP66(Metal&Plastic)		8,812,500
18	NEW SM-D211MV	1/2.7" CMOS Sensor/2MP(1920*1080) TVI & AHD & CVI & CVBS/ 2.8mm Fixed lens/ 0 lux (IR ON)/ 20m IR 12 VDC/ICR/COC/DWDR, 2DNR,AGC,BLC,AWB,D&N,Sharpness,Smart IR, IP66(Metal&Plastic)		7,687,500
19	SM-D331IRVR	1/2.9" SONY CMOS Sensor/2MP 1080P TVI & AHD & CVI & CVBS/ 2.8-12 mm VF lens /0.01LUX/24pcs IR-30m/ 12VDC/ICR/D-WDR,Brightness,Sharpness,Shutter, AGC,BLC,D&N,Defog,3DNR,AWB,UTC,Metal IP66		13,750,000
20	SM-IR348VF	1/2.9" SONY CMOS Sensor/2MP 1080P TVI & AHD & CVI & CVBS/ 2.8-12 mm VF lens /0.01LUX/30pcs IR-40m/ 12VDC/ICR/D-WDR,Brightness,Sharpness,Shutter, AGC,BLC,D&N,Defog,3DNR,AWB,UTC,Metal IP66		15,312,500
CV - Warm Light Full Color Camera 				
21	NEW SM-AR524MCV	1/2.5" CMOS Sensor/5MP(2560*1936)@20fps TVI & AHD & CVI - 24/7 full color imaging 3.6mm Fixed lens/ 0 lux (LED ON)/ 30m LED Distance 12 VDC/ICR/COC/DWDR, 2DNR,AGC,BLC,AWB,Sharpness,Smart LED, Metal IP67		12,125,000
22	NEW SM-D523MCVA	1/2.5" CMOS Sensor/5MP(2560*1936)@20fps TVI & AHD & CVI - 24/7 full color imaging 3.6mm Fixed lens/ 0 lux (LED ON)/ 30m LED Distance Support coaxial audio transmission 12 VDC/ICR/COC/DWDR, 2DNR,AGC,BLC,AWB,Sharpness,Smart LED, Metal IP67		12,450,000
23	NEW SM-D223HCV	1/2.8" CMOS Sensor/2MP(1920*1080) TVI & AHD & CVI & CVBS- 24/7 full color imaging 2.8mm Fixed lens/ 0 lux (LED ON)/ 30m LED Distance 12 VDC/ICR/COC/DWDR, 3DNR,AGC,BLC,AWB,Sharpness,Smart LED, Metal IP67		12,125,000
24	NEW SM-CV137	1/2.9" CMOS Sensor/2MP 1080P TVI & AHD & CVI & CVBS/ 4mm Fixed lens /0.1LUX/4pcs -20m white light view distance/ 12VDC/DWDR,Brightness,Sharpness,AGC,BLC,3DNR,AWB,UTC,Metal IP66		7,125,000
25	NEW SM-CV147	1/2.9" CMOS Sensor/2MP 1080P/720P TVI & AHD & CVI & CVBS/ 3.6mm Fixed lens /0.1LUX/8pcs -20m white light view distance/ 12VDC/DWDR,Sharpness,AGC,BLC,3DNR,AWB,UTC,Metal IP66		6,940,000

26	NEW SM-CV138	1/2.9" CMOS Sensor/2MP 1080P/720P TVI & AHD & CVI & CVBS/ 3.6mm Fixed lens /0.1LUX/8pcs -20m white light view distance/ 12VDC/DWDR,Sharpness,AGC,BLC,3DNR,AWB,UTC,Metal IP66		6,500,000
27	NEW SM-CV132	1/2.9" CMOS Sensor/2MP 1080P/720P TVI & AHD & CVI & CVBS/ 3.6mm Fixed lens /0.1LUX/8pcs -20m white light view distance/ 12VDC/DWDR,Sharpness,AGC,BLC,3DNR,AWB,UTC,Metal IP66		6,690,000
28	NEW SM-CV119	1/2.9" CMOS Sensor/2MP 1080P/720P TVI & AHD & CVI & CVBS/ 3.6mm Fixed lens /0.1LUX/8pcs -20m white light view distance/ 12VDC/DWDR,Sharpness,AGC,BLC,3DNR,AWB,UTC,Plastic		5,325,000
29	NEW SM-D122CV	1/2.9" CMOS Sensor/2MP 1080P/720P TVI & AHD & CVI & CVBS/ 3.6mm Fixed lens /0.1LUX/8pcs -20m white light view distance/ 12VDC/DWDR,Sharpness,AGC,BLC,3DNR,AWB,UTC,Plastic		5,065,000
30	NEW SM-D121CV	1/2.9" CMOS Sensor/2MP 1080P/720P TVI & AHD & CVI & CVBS/ 3.6mm Fixed lens /0.1LUX/8pcs -20m white light view distance/ 12VDC/DWDR,Sharpness,AGC,BLC,3DNR,AWB,UTC,Metal IP66		5,975,000
XVR				
31	NEW SM-XVN1401L2	4CH TVI&AHD&CVI 2MP Live(25fps) & Record 1080PLite & 720P(25fps);The resolution of CH 1 and CH 2 must be the same.So do CH 3 and CH 4 /2CH(Up to 6CH) IP Up to 2MP(25fps) H.265/1 Audio input - 1 Output/ HDD SATA×1, up to 8TB/HDMI-VGA/USB2.0*2/P2P/DDNS/ Network RJ45 100Mbps × 1 - Max 10/30 Mbps incoming/Outgoing bandwidth Smart Functions		17,375,000
32	NEW SM-XVN1801L2	8CH TVI&AHD&CVI 2MP Live(25fps) & Record 1080P Lite/720P: 25fps(PAL)(only CH 1 supports) 1080PLite/720P: 12fps(other channels support) & 720PLite: 25fps /2CH(Up to 10CH) IP Up to 5MP(25fps) H.265/1 Audio input - 1 Output/ HDD SATA×1, up to 8TB/HDMI-VGA/USB2.0*2/P2P/DDNS/ Network RJ45 100Mbps × 1 - Max 16/60 Mbps incoming/Outgoing bandwidth Smart Functions		22,375,000
33	NEW SM-XVN11601L2	16CH TVI&AHD&CVI 2MP Live(25fps) & Record 1080P Lite/720P: 25fps(PAL)(only CH 1 supports) 1080PLite/720P: 12fps(other channels support) & 720PLite: 25fps /2CH(Up to 18CH) IP Up to 5MP(25fps) H.265/1 Audio input - 1 Output/ HDD SATA×1, up to 8TB/HDMI-VGA-CVBS/USB2.0*2/P2P/DDNS/Network RJ45 100Mbps × 1 - Max 16/80 Mbps incoming/Outgoing bandwidth Smart Functions		39,750,000
34	NEW SM-XVN1401M5	4CH TVI&AHD&CVI: 5MP Lite@20fps, 4MP Lite / 1080P / 720P real time preview & Record 5MP Lite@10fps,4MP Lite/1080P@12fps, 1080P Lite/720P@25fps(PAL)/ 2CH(Up to 6CH) IP Up to 5MP(25fps) H.265/1 Audio input - 1 Output /HDD SATA × 1, up to 10TB/ HDMI-VGA-CVBS/USB 2.0 × 2/ RS485 × 1, connect to PTZ or keyboard / P2P/DDNS/Network RJ45 100Mbps × 1 - Max 16/40 Mbps incoming/Outgoing bandwidth Support coaxial audio Smart Functions		24,375,000

35	 SM-XVN1801M5	8CH TVI&AHD&CVI: 5MP Lite@20fps, 4MP Lite / 1080P / 720P real time preview & Record 5MP Lite@10fps,4MP Lite/1080P@12fps, 1080P Lite/720P@25fps(PAL)/ 4CH (Up to 12CH) IP Up to 5MP(25fps) H.265 /1 Audio input - 1 Output /HDD SATA × 1, up to 10TB/ HDMI-VGA-CVBS/USB 2.0 × 2/ RS485 × 1, connect to PTZ or keyboard / P2P/DDNS/Network RJ45 100Mbps × 1 - Max 32/60 Mbps incoming/Outgoing bandwidth Smart Functions	 	39,625,000
36	 SM-XVN21608M5	16CH TVI&AHD&CVI: 5MP Lite@20fps, 4MP Lite / 1080P / 720P real time preview & Record 5MP Lite@10fps,4MP Lite/1080P@12fps(PAL), 1080P Lite/720P/WD1@25fps (PAL)/ 8CH(Up to 16CH) IP Up to 5MP/ 25fps (PAL) H.265/HDMI-VGA-CVBS/ Audio IN RCA × 8 - OUT RCA × 1 / Alarm IN 16 CH - OUT4 CH / HDD SATA × 2, E-SATA × 1, up to 10TB Per HDD /RS485 × 1, connect to PTZ or keyboard / USB 2.0 ×1; USB3.0×1 / Power DC12V / 4A Network RJ45 10* 100* 1000Mbps × 1/Bandwidth 32Mbps(Max.64Mbps) Support coaxial audio Smart Functions	 	88,125,000
37	 SM-XVN1401H5	4CH TVI&AHD&CVI : 4K@15fps, 5MP@20fps, 4MP/3MP/1080P/720P real time preview & Record 4K@6fps(only CH 1 support), 4K Lite@12fps, 5MP@12fps, 5MP Lite@20fps, 4MP/3MP@12fps, 4MP Lite/1080P/720P@25fps/ 2CH IP Up to 8MP(20fps),lower than 8MP @25fps H.265/ 1 Audio input - 1 Output /HDD SATA × 1, up to 10TB/ 4K HDMI-VGA-CVBS/USB 2.0 × 2/ RS485 × 1, connect to PTZ or keyboard / P2P/DDNS/Network RJ45 100Mbps × 1 - Max 16/40 Mbps incoming/Outgoing bandwidth Support coaxial audio Smart Functions	 	34,000,000
38	 SM-XVN1801H5	8CH TVI&AHD&CVI : 4K@15fps, 5MP@20fps, 4MP/3MP/1080P/720P real time preview & Record 4K@8fps(all channels support), 4K Lite@12fps, 5MP@12fps, 5MP Lite@20fps, 4MP/3MP@12fps, 4MP Lite/1080P/720P@25fps/ 8CH(Up to 16CH) IP Up to 8MP(25fps) H.265/ 1 Audio input - 1 Output /HDD SATA × 1, up to 10TB/ 4K HDMI-VGA-CVBS/USB 2.0 × 2/ RS485 × 1, connect to PTZ or keyboard / P2P/DDNS/Network RJ45 100Mbps × 1 - Max 32/80 Mbps incoming/Outgoing bandwidth Support coaxial audio Smart Functions	 	66,875,000
39	 SM-XV21608H5 	16CH TVI&AHD&CVI : 4K@15fps, 5MP@20fps, 4MP/3MP/1080P/720P/WD1 real time preview H.265/4KHDMI-VGA-CVBS / Record 4K@8fps(all channels support), 4K Lite@12fps, 5MP@12fps, 5MP Lite@20fps, 4MP/3MP@12fps, 4MP Lite/1080P/720P/WD1@25fps/ 8CH(Up to 16CH) IP Up to 8MP(25fps) Audio IN RCA × 8 - OUT RCA × 1 / Alarm IN 16 CH / OUT4 CH / Network RJ45 1000Mbps × 1 /Bandwidth32Mbps(Max.64Mbps)/ HDD SATA × 2, E- SATA × 1,up to 10TB Per HDD /RS485 × 1, connect to PTZ or keyboard / USB 2.0 ×1; USB3.0×1/ P2P/DDNS/ Support coaxial audio Smart Functions	 	160,000,000
40	 SM-XV43216M5 	32CH TVI&AHD&CVI: 5MP Lite@20fps, 4MP Lite / 1080P / 720P real time preview & Record 5MP Lite@10fps,4MP Lite/1080P@12fps(PAL), 1080P Lite/720P/WD1@25fps (PAL)/ 8CH(Up to 24CH) IP Up to 5MP/ 25fps (PAL) /H.265/HDMI-VGA-CVBS/ Audio IN RCA × 16 / OUT RCA × 1 / Alarm IN 16 CH / OUT4 CH /Network RJ45 10* 100*1000Mbps × 1 / Bandwidth 40Mbps(Max.88Mbps) / HDD SATA × 4, E- SATA × 1, up to 10TB Per HDD /RS485 × 1, connect to PTZ or keyboard / USB 2.0 ×1; USB3.0×1 Support coaxial audio Smart Functions	 	210,000,000

41	SM-XV83216M5	32CH TVI & CVI & AHD- TVI /AHD: 5MP Lite@20fps, 4MP Lite / 1080P / 720P / WD1 real time preview CVI: 4MP Lite / 1080P / 720P / WD1 real time preview /H.265/HDMI-VGA-CVBS/ Record 5MP Lite@10fps,4MP Lite/1080P@12fps(PAL), 1080P Lite/720P/WD1@25fps (PAL)/ 8CH(Up to 24CH) IP Up to 5MP/ 25fps (PAL) Audio IN RCA × 16 / OUT RCA × 1 / Alarm IN 16 CH / OUT4 CH /Network RJ45 10* 100*1000Mbps × 1 /Bandwidth 40Mbps(Max.88Mbps)/ HDD SATA × 8, E-SATA × 1, up to 8TB Per HDD /RS485 × 1, connect to PTZ or keyboard / USB 2.0 × 2 Smart Functions		222,500,000
دزدگیر				
42	SM-G6430	مرکز کنترل دزدگیر 4 زون با سیم + 1 زون بی سیم (با قابلیت گسترش) کنترل دستگاه از طریق تماس، پیامک و نرم افزار IOS و ANDROID 30 حافظه تلفن (LINE,GSM,SMS) 2 عدد خروجی قابل کنترل با پیام کوتاه و صوتی زون 24 ساعته و حالت نیمه فعال و دینگ دانگ		39,975,000
43	SM-G6420	مرکز کنترل دزدگیر 5 زون با سیم + 1 زون بی سیم (با قابلیت گسترش) کنترل دستگاه از طریق تماس، پیامک و نرم افزار IOS و ANDROID 20 حافظه تلفن (GSM,SMS) 3 عدد خروجی قابل کنترل با پیام کوتاه و صوتی زون 24 ساعته و حالت نیمه فعال و دینگ دانگ 2 خروجی AUX جهت تغذیه تجهیزات دسترسی آسان به تنظیمات دستگاه از طریق پنل دزدگیر دسترسی به منو از طریق پسورد		37,300,000
44	SM-SD431PR	چشمی دزدگیر باسیم ولتاژ کاری 9 الی 12 ولت 14 متر برد آشکار سازی 90 درجه زاویه آشکار سازی passive infrared دارای قابلیت تنظیم میزان حساسیت مجهر به ورودی Tamper چریان مصرفی پایین دارای براکت چرخشی جهت نصب در حالات مختلف دارای انتخاب NO , NC		3,125,000
45	SM-SD450PR	چشمی دزدگیر باسیم HLI 968 Sensor type ولتاژ کاری 9 الی 15 ولت 14 متر برد آشکار سازی 140 درجه زاویه آشکار سازی passive infrared دارای قابلیت تنظیم میزان حساسیت قابلیت تنظیم LED بصورت ON/OFF مجهر به ورودی Tamper دارای انتخاب NC خروجی آلارم الکترونیکی		4,512,500
46	SM-SD440PR	چشمی دزدگیر باسیم Nicera500 BP Sensor type ولتاژ کاری 9 الی 15 ولت 14 متر برد آشکار سازی 140 درجه زاویه آشکار سازی passive infrared دارای قابلیت تنظیم میزان حساسیت قابلیت تنظیم LED بصورت ON/OFF مجهر به ورودی Tamper دارای انتخاب NC - NO خروجی آلارم رله		3,700,000
47	SM-D433WS1	چشمی دزدگیر بیسیم به همراه باتری passive infrared (Nicera500 BP Sensor type) فرکانس کاری 433 مگاهرتز 14 متر برد آشکار سازی 140 درجه زاویه آشکار سازی قابلیت تنظیم زون ، قابلیت کد دهی ، دارای آنتن جهت افزایش برد مازول - دارای کلید تست		5,600,000
48	SM-S103F	ژایر فلاشردار 9 الی 12 ولت 70 دسی بل کمتر از 300 میلی آمپر Sound - Flash		Coming soon

49	اسپیکر دزدگیر	ولتاژ کاری 9 الی 12 ولت دارای پایه برای تنظیم جهت صدای خروجی 25 وات 8 اهم		1,350,000
50	محفظه اسپیکر	محفظه اسپیکر قشری بسیار مقاوم INDOOR / OUTDOOR مقاوم در برابر بارش باران، مقاوم در برابر ضربه، ابعاد مناسب		690,000

کلیه محصولات لیست با گارانتی شرکت سیماران می باشند