

ردیف	سیماران	مشخصات فنی	تصویر	قیمت مصرف کننده (ریال)
Low level-IR				
1	SM-D721IRV	1/2.9" CMOS Sensor/2MP 1080P TVI & AHD & CVI & CVBS/ 3.6mm Fixed lens / 0.1LUX/24PCS IR-20m/ 12 VDC/ICR/DWDR ,3-DNR ,BLC,D&N,AGC ,UTC Function, Metal IP66		5,337,500
2	SM-D722IR	1/2.9" CMOS Sensor/2MP 1080P TVI & AHD & CVI & CVBS/ 3.6mm Fixed lens / 0.1LUX/18PCS SMD IR-20m/ 12 VDC/ICR/DWDR ,3-DNR ,BLC,D&N,AGC ,UTC Function, Plastic		4,437,500
3	SM-IR719	1/2.9" CMOS Sensor/2MP 1080P or TVI & AHD & CVI & CVBS/ 3.6mm Fixed lens / 0.1LUX/18PCS SMD IR-20m/ 12 VDC/ICR/DWDR,3-DNR ,BLC,D&N,AGC ,UTC Function, Plastic		4,625,000
4	SM-IR728	1/2.9" CMOS Sensor/2MP 1080P TVI & AHD & CVI & CVBS/ 3.6mm Fixed lens/ 0.1LUX/18PCS SMD IR-20m/ 12 VDC/ICR/DWDR,3-DNR ,BLC,D&N,AGC ,UTC Function, Metal IP66		5,500,000
5	SM-IR729	1/2.9" CMOS Sensor/2MP 1080P TVI & AHD & CVI & CVBS/ 3.6mm Fixed lens / 0.1LUX/18PCS SMD IR-20m/ 12 VDC/ICR/DWDR,3-DNR ,BLC,D&N,AGC ,UTC Function,Metal IP66		5,462,500
6	SM-IR736	1/2.9" CMOS Sensor/2MP 1080P TVI & AHD & CVI & CVBS/ 3.6mm Fixed lens/ 0.1LUX/28pcs IR-25m/ 12 VDC/ICR/DWDR,3-DNR ,BLC,D&N,AGC ,UTC Function, Metal IP66		5,612,500
7	SM-IR732	1/2.9" CMOS Sensor/2MP 1080P TVI & AHD & CVI & CVBS/ 3.6mm Fixed lens/ 0.1LUX/36pcs IR-30m/ 12 VDC/ICR/DWDR,3-DNR ,BLC,D&N,AGC ,UTC Function, Metal IP66		5,612,500
8	SM-IR747	1/2.9" CMOS Sensor/2MP 1080P TVI & AHD & CVI & CVBS/ 3.6mm Fixed lens/ 0.1LUX/24PCS SMD IR-35m/ 12 VDC/ICR/DWDR,3-DNR ,BLC,D&N,AGC ,UTC Function, Metal IP66		6,187,500
9	SM-AR752	1/2.9" CMOS Sensor/2MP 1080P TVI & AHD & CVI & CVBS/ 3.6mm Fixed lens/ 0.1LUX/4 pcs Array IR-60m/ 12 VDC/ICR/DWDR,3-DNR ,BLC,D&N,AGC ,UTC Function, Metal IP66		6,912,500
High level-IR				
10	NEW SM-AR512M	1/2.5" CMOS Sensor/5MP(2560*1936)@20fps TVI & AHD & CVI /3.6mm Fixed lens/ 0.01LUX/20m IR/ 12 VDC/ICR/COC/DWDR, 2DNR,AGC,BLC,AWB,D&N,Sharpness, IP67(Metal&Plastic)		10,125,000
11	SM-D511MV	1/2.5" CMOS Sensor/5MP(2560*1936)@20fps TVI & AHD & CVI /3.6mm Fixed lens/ 0 lux with IR/ 20m IR/ 12 VDC/ICR/COC/ 2DNR,BLC,AWB,D&N,Sharpness IP66(Metal&Plastic)		10,125,000

12	SM-D3010ARV/TVI	1/2.9" CMOS Sensor/2MP(1920*1080) TVI & AHD & CVI & CVBS/ 2.8mm Fixed lens/ 0.01LUX/30m IR/ 12 VDC/ICR/COC/DWDR, 3DNR,AGC,BLC,AWB,D&N,Sharpness,SmartIR,Metal IP67		7,500,000
13	SM-AR222M	1/2.7" CMOS Sensor/2MP(1920*1080) TVI & AHD & CVI & CVBS/ 2.8mm Fixed lens/ 0 lux (IR ON)/ 30m IR 12 VDC/ICR/COC/DWDR, 2DNR,AGC,BLC,AWB,D&N,Sharpness,Smart IR, Metal IP67		7,962,500
14	SM-AR216M	1/2.7" CMOS Sensor/2MP(1920*1080) TVI & AHD & CVI & CVBS/ 2.8mm Fixed lens/ 0 lux (IR ON)/ 50m IR 12 VDC/ICR/COC/DWDR, 2DNR,AGC,BLC,AWB,D&N,Sharpness,Smart IR, IP66(Metal&Plastic)		8,812,500
15	SM-D211MV	1/2.7" CMOS Sensor/2MP(1920*1080) TVI & AHD & CVI & CVBS/ 2.8mm Fixed lens/ 0 lux (IR ON)/ 20m IR 12 VDC/ICR/COC/DWDR, 2DNR,AGC,BLC,AWB,D&N,Sharpness,Smart IR, IP66(Metal&Plastic)		7,687,500
16	SM-D331IRVR	1/2.9" SONY CMOS Sensor/2MP 1080P TVI & AHD & CVI & CVBS/ 2.8-12 mm VF lens /0.01LUX/24pcs IR-30m/ 12VDC/ICR/D-WDR,Brightness,Sharpness,Shutter, AGC,BLC,D&N,Defog,3DNR,AWB,UTC,Metal IP66		13,750,000
17	SM-IR348VF	1/2.9" SONY CMOS Sensor/2MP 1080P TVI & AHD & CVI & CVBS/ 2.8-12 mm VF lens /0.01LUX/30pcs IR-40m/ 12VDC/ICR/D-WDR,Brightness,Sharpness,Shutter, AGC,BLC,D&N,Defog,3DNR,AWB,UTC,Metal IP66		15,312,500

CV - Warm Light Full Color Camera



18	SM-AR524MCV	1/2.5" CMOS Sensor/5MP(2560*1936)@20fps TVI & AHD & CVI - 24/7 full color imaging 3.6mm Fixed lens/ 0 lux (LED ON)/ 30m LED Distance 12 VDC/COC/DWDR, 2DNR,AGC,BLC,AWB,Sharpness,Smart LED, Metal IP67	 Full-Color	12,625,000
19	SM-D523MCVA	1/2.5" CMOS Sensor/5MP(2560*1936)@20fps TVI & AHD & CVI - 24/7 full color imaging 3.6mm Fixed lens/ 0 lux (LED ON)/ 30m LED Distance Support coaxial audio transmission 12 VDC/COC/DWDR, 2DNR,AGC,BLC,AWB,Sharpness,Smart LED, Metal IP67	 Full-Color	13,000,000
20	SM-D223HCV	1/2.8" CMOS Sensor/2MP(1920*1080) TVI & AHD & CVI & CVBS- 24/7 full color imaging 2.8mm Fixed lens/ 0 lux (LED ON)/ 30m LED Distance 12 VDC/COC/DWDR, 3DNR,AGC,BLC,AWB,Sharpness,Smart LED, Metal IP67	 Full-Color	12,125,000
21	NEW SM-AR212MCV	1/2.8" CMOS Sensor/2MP(1920*1080) TVI & AHD & CVI & CVBS- 24/7 full color imaging 2.8mm Fixed lens/ 0 lux (LED ON)/ 20m LED Distance 12 VDC/COC/DWDR, 2DNR,AGC,BLC,HLC,AWB,Sharpness,Smart LED, Metal&PLASTIC IP67	 Full-Color	9,375,000
22	NEW SM-D211MCV	1/2.8" CMOS Sensor/2MP(1920*1080) TVI & AHD & CVI & CVBS- 24/7 full color imaging 2.8mm Fixed lens/ 0 lux (LED ON)/ 20m LED Distance 12 VDC/COC/DWDR, 2DNR,AGC,BLC,HLC,AWB,Sharpness,Smart LED, Metal&PLASTIC IP67	 Full-Color	9,375,000

23	NEW SM-D223MCVA	1/2.8" CMOS Sensor/2MP(1920*1080) TVI & AHD & CVI & CVBS- 24/7 full color imaging 2.8mm Fixed lens/ 0 lux (LED ON)/ 30m LED Distance/Support coaxial audio transmission 12 VDC/COC/DWDR, 2DNR,AGC,BLC,HLC,AWB,Sharpness,Smart LED, Metal IP67	 Full-Color	11,250,000
24	SM-CV137	1/2.9" CMOS Sensor/2MP 1080P TVI & AHD & CVI & CVBS/ 4mm Fixed lens /0.1LUX/4pcs -20m white light view distance/ 12VDC/DWDR,Brightness,Sharpness,AGC,BLC,3DNR,AWB,UTC,Metal IP66	 Full-Color	7,125,000
25	SM-CV147	1/2.9" CMOS Sensor/2MP 1080P/720P TVI & AHD & CVI & CVBS/ 3.6mm Fixed lens /0.1LUX/8pcs -20m white light view distance/ 12VDC/DWDR,Sharpness,AGC,BLC,3DNR,AWB,UTC,Metal IP66	 Full-Color	6,940,000
26	SM-CV119	1/2.9" CMOS Sensor/2MP 1080P/720P TVI & AHD & CVI & CVBS/ 3.6mm Fixed lens /0.1LUX/8pcs -20m white light view distance/ 12VDC/DWDR,Sharpness,AGC,BLC,3DNR,AWB,UTC,Plastic	 Full-Color	5,325,000
27	SM-D122CV	1/2.9" CMOS Sensor/2MP 1080P/720P TVI & AHD & CVI & CVBS/ 3.6mm Fixed lens /0.1LUX/8pcs -20m white light view distance/ 12VDC/DWDR,Sharpness,AGC,BLC,3DNR,AWB,UTC,Plastic	 Full-Color	5,065,000
28	SM-D121CV	1/2.9" CMOS Sensor/2MP 1080P/720P TVI & AHD & CVI & CVBS/ 3.6mm Fixed lens /0.1LUX/8pcs -20m white light view distance/ 12VDC/DWDR,Sharpness,AGC,BLC,3DNR,AWB,UTC,Metal IP66	 Full-Color	5,975,000
XVR				
29	SM-XVN1401L2	4CH TVI&AHD&CVI 2MP Live(25fps) & Record 1080PLite & 720P(25fps);The resolution of CH 1 and CH 2 must be the same.So do CH 3 and CH 4/2CH(Up to 6CH) IP Up to 2MP(25fps) H.265/1 Audio input - 1 Output/ HDD SATA×1, up to 8TB/HDMI-VGA/USB2.0*2/P2P/DDNS/ Network RJ45 100Mbps × 1 - Max 10/30 Mbps incoming/Outgoing bandwidth Support coaxial audio Smart Functions	 AOC	18,190,000
30	SM-XVN1801L2	8CH TVI&AHD&CVI 2MP Live(25fps) & Record 1080P Lite/720P: 25fps(PAL)(only CH 1 supports) 1080PLite/720P: 12fps(other channels support) & 720PLite: 25fps /2CH(Up to 10CH) IP Up to 5MP(25fps) H.265/1 Audio input - 1 Output/ HDD SATA×1, up to 8TB/HDMI-VGA/USB2.0*2/P2P/DDNS/ Network RJ45 100Mbps × 1 - Max 16/60 Mbps incoming/Outgoing bandwidth Support coaxial audio Smart Functions	 AOC	23,375,000
31	SM-XVN11601L2	16CH TVI&AHD&CVI 2MP Live(25fps) & Record 1080P Lite/720P: 25fps(PAL)(only CH 1 supports) 1080PLite/720P: 12fps(other channels support) & 720PLite: 25fps /2CH (Up to 18CH) IP Up to 5MP(25fps) H.265/1 Audio input - 1 Output/ HDD SATA×1, up to 8TB/HDMI-VGA-CVBS/USB2.0*2/P2P/DDNS/Network RJ45 100Mbps × 1 - Max 16/80 Mbps incoming/Outgoing bandwidth Smart Functions		39,750,000

32	SM-XVN1401M5	4CH TVI&AHD&CVI: 5MP Lite@20fps, 4MP Lite / 1080P / 720P real time preview & Record 5MP Lite@10fps, 4MP Lite/1080P@12fps, 1080P Lite/720P@25fps(PAL)/ 2CH(Up to 6CH) IP Up to 5MP(25fps) H.265 / 1 Audio input - 1 Output /HDD SATA × 1, up to 10TB/ HDMI-VGA-CVBS/USB 2.0 × 2/ RS485 × 1, connect to PTZ or keyboard / P2P/DDNS/Network RJ45 100Mbps × 1 - Max 16/40 Mbps incoming/Outgoing bandwidth Support coaxial audio Smart Functions	AOC 	25,250,000
33	SM-XVN1801M5	8CH TVI&AHD&CVI: 5MP Lite@20fps, 4MP Lite / 1080P / 720P real time preview & Record 5MP Lite@10fps, 4MP Lite/1080P@12fps, 1080P Lite/720P@25fps(PAL)/ 4CH (Up to 12CH) IP Up to 5MP(25fps) H.265 / 1 Audio input - 1 Output /HDD SATA × 1, up to 10TB/ HDMI-VGA-CVBS/USB 2.0 × 2/ RS485 × 1, connect to PTZ or keyboard / P2P/DDNS/Network RJ45 100Mbps × 1 - Max 32/60 Mbps incoming/Outgoing bandwidth Support coaxial audio Smart Functions	AOC 	40,625,000
34	SM-XVN21608M5	16CH TVI&AHD&CVI: 5MP Lite@20fps, 4MP Lite / 1080P / 720P real time preview & Record 5MP Lite@10fps, 4MP Lite/ 1080P@12fps(PAL) 1080P Lite/720P/WD1@25fps (PAL)/ 8CH (Up to 16CH) IP Up to 5MP/ 25fps (PAL) H.265/HDMI-VGA-CVBS/ Audio IN RCA × 8 - OUT RCA × 1 / Alarm IN 16 CH - OUT 4 CH / HDD SATA × 2, E-SATA × 1, up to 10TB Per HDD/RS485 × 1, connect to PTZ or keyboard / USB 2.0 × 1; USB3.0×1 / Power DC12V / 4A Network RJ45 10* 100* 1000Mbps × 1/Bandwidth 32Mbps(Max.64Mbps) Support coaxial audio Smart Functions	AOC 	90,000,000
35	SM-XVN1401H5	4CH TVI&AHD&CVI : 4K@15fps, 5MP@20fps, 4MP/3MP/1080P/720P real time preview & Record 4K@6fps(only CH 1 support), 4K Lite@12fps, 5MP@12fps, 5MP Lite@20fps, 4MP/3MP@12fps, 4MP Lite/1080P/720P@25fps/ 2CH (Up to 6CH) IP Up to 8MP(20fps), lower than 8MP @25fps H.265/ 1 Audio input - 1 Output /HDD SATA × 1, up to 10TB/ 4K HDMI-VGA-CVBS/USB 2.0 × 2/ RS485 × 1, connect to PTZ or keyboard / P2P/DDNS/Network RJ45 100Mbps × 1 - Max 16/40 Mbps incoming/Outgoing bandwidth Support coaxial audio Smart Functions	AOC 	37,500,000
36	SM-XVN1801H5	8CH TVI&AHD&CVI : 4K@15fps, 5MP@20fps, 4MP/3MP/1080P/720P real time preview & Record 4K@8fps(all channels support), 4K Lite@12fps, 5MP@12fps, 5MP Lite@20fps, 4MP/3MP@12fps, 4MP Lite/1080P/720P@25fps/ 8CH(Up to 16CH) IP Up to 8MP(25fps) H.265/ 1 Audio input - 1 Output /HDD SATA × 1, up to 10TB/ 4K HDMI-VGA-CVBS/USB 2.0 × 2/ RS485 × 1, connect to PTZ or keyboard / P2P/DDNS/Network RJ45 100Mbps × 1 - Max 32/80 Mbps incoming/Outgoing bandwidth Support coaxial audio Smart Functions	AOC 	70,375,000
37	NEW SM-XVN21601H5	16CH TVI&AHD&CVI : 4K@15fps, 5MP@20fps, 4MP/3MP/1080P/720P real time preview & Record 4K@8fps(half channels support), 4K Lite@12fps, 5MP@12fps, 5MP Lite@20fps, 4MP/3MP@12fps, 4MP Lite/1080P/720P@25fps/ 8CH(Up to 16CH) IP Up to 8MP(25fps) H.265/ 1 Audio input - 1 Output /HDD SATA × 2, up to 10TB/ 4K HDMI-VGA-CVBS/USB 2.0 × 2/ RS485 × 1, connect to PTZ or keyboard / P2P/DDNS/Network RJ45 1000Mbps × 1 - Max 32/96 Mbps incoming/Outgoing bandwidth Support coaxial audio Smart Functions	AOC 	131,250,000

38	NEW SM-XVN21608H5	16CH TVI&AHD&CVI : 4K@15fps, 5MP@20fps, 4MP/3MP/1080P/720P/WD1 real time preview & Record 4K@8fps(all channels support), 4K Lite@12fps, 5MP@12fps, 5MP Lite@20fps, 4MP/3MP@12fps, 4MP Lite/1080P/720P/WD1@25fps/ 8CH(Up to 16CH) IP Up to 8MP(25fps) H.265/Audio IN RCA × 8 - OUT RCA × 1/ Alarm IN 16 CH- OUT 4 CH/ HDD SATA × 2, E-SATA × 1, up to 10TB Per HDD/4K HDMI-VGA-CVBS /RS485 × 1, connect to PTZ or keyboard / USB 2.0 ×1; USB3.0×1/ P2P/DDNS/Network RJ45 1000Mbps × 1 /Bandwidth32Mbps(Max.96Mbps) Support coaxial audio Smart Functions	AOC 	160,000,000
39	HISILICON SM-XV21608H5	16CH TVI&AHD&CVI : 4K@15fps, 5MP@20fps, 4MP/3MP/1080P/720P/WD1 real time preview & Record 4K@8fps(all channels support), 4K Lite@12fps, 5MP@12fps, 5MP Lite@20fps, 4MP/3MP@12fps, 4MP Lite/1080P/720P/WD1@25fps/ 8CH(Up to 16CH) IP Up to 8MP(25fps) H.265/ Audio IN RCA × 8 - OUT RCA × 1 / Alarm IN 16 CH / OUT4 CH / HDD SATA × 2, E-SATA × 1, up to 10TB Per HDD/ 4KHDMI-VGA-CVBS / RS485 × 1, connect to PTZ or keyboard / USB 2.0 ×1; USB3.0×1/ P2P/DDNS/ Network RJ45 1000Mbps × 1 /Bandwidth32Mbps(Max.64Mbps) Support coaxial audio Smart Functions	AOC 	160,000,000
40	HISILICON SM-XV43216M5	32CH TVI&AHD&CVI: 5MP Lite@20fps, 4MP Lite / 1080P / 720P real time preview & Record 5MP Lite@10fps,4MP Lite/1080P@12fps(PAL), 1080P Lite/720P/WD1@25fps (PAL)/ 8CH(Up to 24CH) IP Up to 5MP/ 25fps (PAL) /H.265/HDMI-VGA-CVBS/ Audio IN RCA × 16 / OUT RCA × 1 / Alarm IN 16 CH / OUT4 CH /Network RJ45 10* 100*1000Mbps × 1 / Bandwidth 40Mbps(Max.88Mbps) / HDD SATA × 4, E-SATA × 1, up to 10TB Per HDD /RS485 × 1, connect to PTZ or keyboard / USB 2.0 ×1; USB3.0×1 Support coaxial audio Smart Functions	AOC 	216,250,000
41	HISILICON SM-XV83216M5	32CH TVI & CVI & AHD- TVI /AHD: 5MP Lite@20fps, 4MP Lite / 1080P / 720P / WD1 real time preview CVI: 4MP Lite / 1080P / 720P / WD1 real time preview /H.265/HDMI-VGA-CVBS/ Record 5MP Lite@10fps,4MP Lite/1080P@12fps(PAL), 1080P Lite/720P/WD1@25fps (PAL)/ 8CH(Up to 24CH) IP Up to 5MP/ 25fps (PAL) Audio IN RCA × 16 / OUT RCA × 1 / Alarm IN 16 CH / OUT4 CH /Network RJ45 10* 100*1000Mbps × 1 /Bandwidth 40Mbps(Max.88Mbps)/ HDD SATA × 8, E-SATA × 1, up to 8TB Per HDD /RS485 × 1, connect to PTZ or keyboard / USB 2.0 × 2 Smart Functions		222,500,000
دزدگیر				
42	SM-G6430	مرکز کنترل دزدگیر 4 زون با سیم + 1 زون بی سیم (با قابلیت گسترش) کنترل دستگاه از طریق تماس، پیامک و نرم افزار IOS و ANDROID 30 حافظه تلفن (LINE, GSM, SMS) 2 عدد خروجی قابل کنترل با پیام کوتاه و صوتی 24 ساعته و حالت نیمه فعال و دینگ دانگ		39,975,000
43	SM-G6420	مرکز کنترل دزدگیر 5 زون با سیم + 1 زون بی سیم (با قابلیت گسترش) کنترل دستگاه از طریق تماس، پیامک و نرم افزار IOS و ANDROID 20 حافظه تلفن (GSM, SMS) 3 عدد خروجی قابل کنترل با پیام کوتاه و صوتی 24 ساعته و حالت نیمه فعال و دینگ دانگ 2 خروجی AUX جهت تغذیه تجهیزات دسترسی آسان به تنظیمات دستگاه از طریق پنل دزدگیر دسترسی به منو از طریق پسورد		37,300,000

44	SM-SD431PR	چشمی دزدگیر باسیم ولتاژ کاری 9 الی 12 ولت 14 متر برد آشکار سازی 90 درجه زاویه آشکار سازی passive infrared دارای قابلیت تنظیم میزان حساسیت مجهز به ورودی Tamper جریان مصرفی پایین دارای برکت چرخشی جهت نصب در حالات مختلف دارای انتخاب NO , NC		3,125,000
45	SM-SD450PR	چشمی دزدگیر باسیم HLI 968 Sensor type ولتاژ کاری 9 الی 15 ولت 14 متر برد آشکار سازی 140 درجه زاویه آشکار سازی passive infrared دارای قابلیت تنظیم میزان حساسیت قابلیت تنظیم LED بصورت ON/OFF مجهز به ورودی Tamper دارای انتخاب NC خروجی آلارم الکترونیکی		4,512,500
46	SM-SD440PR	چشمی دزدگیر باسیم Nicera500 BP Sensor type ولتاژ کاری 9 الی 15 ولت 14 متر برد آشکار سازی 140 درجه زاویه آشکار سازی passive infrared دارای قابلیت تنظیم میزان حساسیت قابلیت تنظیم LED بصورت ON/OFF مجهز به ورودی Tamper دارای انتخاب NC - NO خروجی آلارم رله		3,700,000
47	SM-D433WS1	چشمی دزدگیر بیسیم به همراه باتری passive infrared (Nicera500 BP Sensor type) فرکانس کاری 433 مگاهرتز 14 متر برد آشکار سازی 140 درجه زاویه آشکار سازی قابلیت تنظیم زون , قابلیت کد دهی , دارای آنتن جهت افزایش برد مازول - دارای کلید تست		5,600,000
48	SM-S103F	آژیر فلاشردار 9 الی 12 ولت 70 دسی بل کمتر از 300 میلی آمپر Sound - Flash		Coming soon
49	اسپیکر دزدگیر	ولتاژ کاری 9 الی 12 ولت دارای پایه برای تنظیم جهت صدای خروجی 25 وات 8 اهم		1,350,000
50	محفظه اسپیکر	محفظه اسپیکر فلزی بسیار مقاوم INDOOR / OUTDOOR مقاوم در برابر بارش باران، مقاوم در برابر ضربه، ابعاد مناسب		690,000

کلیه محصولات لیست با گارانتی شرکت سیماران می باشند