


ردیف	مدل	مشخصات فنی	تصویر	قیمت مصرف کننده (ریال)
IP Camera - IR				
1	NEW SM-IP8414M-W 	1/2.8" SONY CMOS Sensor 8MP(20FPS)/3.6 mm fixed Lens/3Stream/H.265+/H.264+ True WDR 120dB /50m IR/0.1 Lux/ICR auto switch, true day / night ROI coding, 3D DNR, HLC, BLC, defog, Smart IR POE/12VDC/1CH audio input/SD Card Max 256GB /ONVIF/IP67 Metal SMART Functions		Call
2	SM-IP8416M-WZ 	1/2.8" SONY CMOS Sensor 8MP(20FPS)/2.8 -12mm Motorized Varifocal Lens/3Stream/H.265+/H.264+ True WDR 120dB /50m IR/0.05 Lux/ICR auto switch, true day / night ROI coding, 3D DNR, HLC, BLC, defog, Smart IR POE/12VDC/1CH audio input/SD Card Max 256GB /ONVIF/IP67 Metal SMART Functions		Call
3	NEW SM-IP8512M-W 	1/2.8" SONY CMOS Sensor 8MP(20FPS)/2.8 mm fixed Lens/3Stream/H.265+/H.264+ True WDR 120dB /30m IR/0.06 Lux/ICR auto switch, true day / night ROI coding, 3D DNR, HLC, BLC, defog, Smart IR POE/12VDC/1CH audio input and 1CH built-in MIC/SD Card Max 256GB /ONVIF/IP67 Metal SMART Functions	 	Call
4	NEW SM-IP5412HM-W	1/2.7" CMOS Sensor 5MP(20FPS)/3.6 mm fixed Lens/3Streams/H265+/H264+/ True WDR 120dB /30m IR/0.007 Lux/ICR auto switch, true day / night ROI coding, 3D DNR, HLC, BLC, Smart IR POE/12VDC/1CH audio input and 1CH built-in MIC/SD Card Max 256GB/ONVIF/IP67 Metal SMART Functions	 	35,000,000
5	NEW SM-IP5416HM-WZ	1/2.7" CMOS Sensor 5MP(20FPS)/2.8 -12mm Motorized Varifocal Lens/3Streams/H265+/H264+/ True WDR 120dB /50m IR/0.007 Lux/ICR auto switch, true day / night ROI coding, 3D DNR, HLC, BLC, Smart IR POE/12VDC/1CH audio input and 1CH built-in MIC/SD Card Max 256GB/ONVIF/IP67 Metal SMART Functions	 	60,000,000
6	SM-IP5512M	1/2.7" CMOS Sensor 5MP(20FPS)/2.8 mm fixed Lens/3Streams/H265/H264+/ WDR(90dB) /30m IR/0.0236 Lux/ICR auto switch, true day / night ROI coding, 3D DNR, HLC, BLC, defog POE/12VDC/1CH built-in MIC/ONVIF/IP67 Metal SMART Functions	 	30,000,000
7	SM-IP4512H-WFR 	1/3" CMOS Sensor 4MP(25FPS)/2.8 mm fixed Lens/3Streams/Smart coding H.265S/H.264S/H265+/H264+ True WDR 120dB /HFR(MAX 60fps in 1080p)/30m IR/0.005 Lux/ICR auto switch, true day / night ,Support face detection ROI coding, 3D DNR, HLC, BLC, Defog, Smart IR POE/12VDC/1CH audio input and 1CH built-in MIC/SD Card Max 128GB/ONVIF/IP67 Metal SMART Functions- People/vehicle counting	 	38,750,000
8	SM-IP4510L	1/2.7" CMOS Sensor 4MP(20FPS)/2.8 mm fixed Lens/3Streams/H265/H264+/ WDR(90dB) /20m IR/0.04 Lux/ICR auto switch, true day / night ROI coding, 3D DNR, HLC, BLC, defog POE/12VDC/1CH built-in MIC/ONVIF/IP67(Metal&Plastic) SMART Functions	 	22,500,000
9	SM-IP2414H-WSFR 	1/2.8" SONY CMOS Sensor 2MP(25FPS)/2.8 mm fixed Lens/3Streams/Smart coding H.265S/H.264S/H265+/H264+ True WDR 120dB /Starlight /50m IR/0.005 Lux/ICR auto switch, true day / night ROI coding, 3D DNR, HLC, BLC, defog , Smart IR , Support face detection POE/12VDC/1CH Audio Input/SD Card Max 128GB/ONVIF/IP67 Metal SMART Functions- People/vehicle counting		30,125,000

10	SM-IP2512H-WSFR 	1/2.8" SONY CMOS Sensor 2MP(25FPS)/2.8 mm fixed Lens/3Streams/H265/H.264S/H265+/H264+ True WDR 120dB /Starlight /30m IR/0.005 Lux/ICR auto switch, true day / night ROI coding, 3D DNR, HLC, BLC, defog , Smart IR , Support face detection POE/12VDC/1CH audio input and 1CH built-in MIC/SD Card Max 128GB/ONVIF/IP67 Metal SMART Functions- People/vehicle counting	 	27,750,000
11	SM-IP2416M-VF 	1/2.9" CMOS Sensor 2MP(25FPS)/2.8 -12mm Varifocal Lens/2Streams/H265/H264+/ WDR(90dB) /50m IR/0.013 Lux/ICR auto switch, true day / night ROI coding, 3D DNR, HLC, BLC, defog POE/12VDC/1CH Audio Input/SD Card Max 128GB/ONVIF/IP67 Metal SMART Functions	 	30,000,000
12	SM-IPN2410L 	1/2.8" CMOS Sensor 2MP(25FPS)/3.6mm & 2.8 mm fixed Lens/2Streams/H265/H264+/ WDR(90dB) /20m IR/0.046 Lux/ICR auto switch, true day / night ROI coding, 3D DNR, HLC, BLC, defog POE/12VDC/ONVIF/IP67(Metal&Plastic) SMART Functions	 	16,250,000
13	SM-IP2413L 	1/3.2" CMOS Sensor 2MP(25FPS)/2.8 mm fixed Lens/2Streams/H265/H264+/ WDR(90dB) /20m IR/0.046 Lux/ICR auto switch, true day / night ROI coding, 3D DNR, HLC, BLC, defog POE/12VDC/ONVIF/IP66(Metal) SMART Functions	 	Call
14	SM-IPN2510L 	1/2.8" CMOS Sensor 2MP(25FPS)/2.8 mm fixed Lens/2Streams/H265/H264+/ WDR(90dB) /20m IR/0.046 Lux/ICR auto switch, true day / night ROI coding, 3D DNR, HLC, BLC, defog POE/12VDC/1CH built-in MIC/ONVIF/IP67(Metal&Plastic) SMART Functions	 	16,250,000
15	SM-IPTZ-2MP-30X/HWS 	1/2.8" SONY progressive scan CMOS Sensor 2MP(25FPS)/ 4.5 ~ 135 mm Motorized Lens/30x Optical Zoom/300m (6 LED+4 VCSEL) IR/H265/H264 /True WDR 120dB/Starlight 1 Ch input, 1 Ch output Audio/7 Ch input ,1 Ch output Alarm/SD Card Max 128GB/CVBS Analog Output/RS485/ IP66 Metal/Outdoor/AC 24V 3A SMART Functions	 	Coming soon
16	SM-IPTZ-2MP-25X/MWS 	1/2.8" SONY progressive scan CMOS Sensor 2MP(25FPS)/ 4.8 ~ 120 mm Motorized Lens/25x Optical Zoom/150m IR/Smart coding H.265S,H.265+/ True WDR 120dB/Starlight 1 Ch input, 1 Ch output Audio/1 Ch input ,1 Ch output Alarm/SD Card Max 256GB/ IP66 Metal/Outdoor/ DC24V,AC24V or PoE+ SMART Functions /Auto Tracking/ Supports face detection and comparison	 	212,500,000
17	SM-IP2600HCW/WF 	1/2.7" CMOS Sensor 2MP(25FPS)/2.8 mm fixed Lens/3Streams/H265/H264+/ True WDR 120dB /10m IR/0.03 Lux/ICR auto switch, true day / night, ROI coding, 3D DNR, HLC, BLC, defog POE/12VDC/1CH built-in MIC and 1CH built-in speaker/1 Ch input ,1 Ch output Alarm/SD Card Max 128GB/ONVIF/Support Wi-Fi, 50m Wireless Range SMART Functions	 	28,625,000
18	SM-IPFE-6MP/HS 	1/2.9" SONY progressive scan CMOS Sensor / 6MP(2160 × 2160) (25FPS) 1.07 mm Lens/3Streams/H265/H264+/ WDR(90dB)/ 30m IR/ 0.068 lux/ 12V DC/ PoE/ ONVIF 1/1 CH Audio In/Output , 1CH built-in MIC, 1/1 CH Alarm In/Output, SD Card Max 128GB, CVBS output, RS485 ICR auto switch, true day/night, ROI coding, 3D DNR, HLC, BLC, IP67	 	91,875,000
IP Camera - CV Light Explorer				
19	SM-IP2414CV-WSFR 	1/2.8" SONY CMOS Sensor 2MP(25FPS)/ 8mm fixed Lens/3Streams/H265+/H264+/ True WDR 120dB/Starlight /10m white light view distance/0.0028 Lux/ Support face detection ROI coding, 3D DNR, HLC, BLC, defog POE/12VDC/1CH Audio Input/SD Card Max 128GB/ONVIF/IP67 Metal SMART Functions	 	60,000,000
20	SM-IP2414CV1 	1/2.8" CMOS Sensor 2MP(25FPS)/ 2.8mm fixed Lens/2Streams/H265/ H264+/ WDR(90dB)/30~ 50m white light view distance/0 lux (LED ON) ROI coding, 3D DNR, HLC, BLC, defog POE/12VDC/1CH Audio Input/SD Card Max 128GB/ONVIF/IP67 Metal SMART Functions	 	38,750,000

21	SM-IP2512CV1 	1/2.8" CMOS Sensor 2MP(25FPS)/ 2.8mm fixed Lens/2Streams/H265/ H264+/ WDR(90dB)/20~ 30m white light view distance/0 lux (LED ON) ROI coding, 3D DNR, HLC, BLC, defog POE/12VDC/1CH built-in MIC/SD Card Max 128GB/ONVIF/IP67 Metal SMART Functions	  	35,000,000
22	SM-IP2414CV2-W	1/2.8" CMOS Sensor 2MP(25FPS)/ 3.6mm & 2.8 mm fixed Lens/3Streams/H265+ / H264+/ True WDR 120dB /30~ 40m white light view distance/0.002 lux ROI coding, 3D DNR, HLC, BLC POE/12VDC/1CH audio input; 1CH built-in MIC/SD Card Max 256GB/ONVIF/IP67 Metal SMART Functions	  	39,000,000
23	SM-IP2512CV2-W	1/2.8" CMOS Sensor 2MP(25FPS)/ 2.8 mm fixed Lens/3Streams/H265+ / H264+/ True WDR 120dB /20~ 30m white light view distance/0.002 lux ROI coding, 3D DNR, HLC, BLC POE/12VDC/1CH audio input; 1CH built-in MIC/SD Card Max 256GB/ONVIF/IP67 Metal SMART Functions	  	34,750,000
24	NEW SM-IP2410CVL	1/2.8" CMOS Sensor 2MP(25FPS)/ 3.6mm fixed Lens/2Streams/H265/ H264+/ WDR(90dB)/10~ 20m white light view distance/0.0462 lux ROI coding, 3D DNR, HLC, BLC, defog POE/12VDC/ONVIF/IP67(Metal&Plastic) SMART Functions	  	19,625,000
25	NEW SM-IP2510CVL	1/2.8" CMOS Sensor 2MP(25FPS)/ 3.6mm fixed Lens/2Streams/H265/ H264+/ WDR(90dB)/10~ 20m white light view distance/0.0462 lux ROI coding, 3D DNR, HLC, BLC, defog POE/12VDC/1CH built-in MIC/ONVIF/IP67 (Metal&Plastic) SMART Functions	  	19,940,000
NVR				
26	SM-NL4016 	4CH input & Record 6MP@25fps /H.265S ,H.265+ / Bandwidth(Input 32Mbps/Output 32Mbps) 4CH Audio/Alarm IPC input/ SATA2.0 × 1, max 8T / HDMI-VGA/USB2.0*2/ P2P/ ONVIF/DHCP/DDNS/ RJ45 100Mbps × 1 SMART Function/Supports face detection قابلیت پشتیبانی از تقویم شمسی و منوی فارسی	 	23,125,000
27	SM-NL8016 	8CH input & Record 6MP@25fps /H.265S ,H.265+ / Bandwidth(Input 56Mbps/Output 56Mbps) 8CH Audio/Alarm IPC input/ SATA2.0 × 1, max 8T / HDMI-VGA/USB2.0*2/ P2P/ ONVIF/DHCP/DDNS/ RJ45 100Mbps × 1 SMART Function/Supports face detection قابلیت پشتیبانی از تقویم شمسی و منوی فارسی	 	29,250,000
28	NEW SM-NM1618 	16CH input & Record 8MP(25FPS)/H.265S ,H.265+ / Bandwidth (Input112Mbps/Output 112Mbps) 16 Audio & Alarm IPC/ SATA3.0 × 1, max 8T / HDMI 4K-VGA/ 2 RCA AUDIO IN & OUT/ USB2.0*2 /P2P/ONVIF/DHCP/DDNS/ RJ45 10-100-1000M SMART Function/Supports face detection قابلیت پشتیبانی از تقویم شمسی و منوی فارسی	 	45,750,000
29	SM-NM1628 	16CH input & Record 8MP(25FPS)/H.265S ,H.265+ / Bandwidth (Input112Mbps/Output 112Mbps) 16 Audio & Alarm IPC/4 CH local alarm input - 1Ch Output/ SATA3.0 × 2, max 8T per HDD/HDMI 4K-VGA 2 RCA AUDIO IN & OUT/RS485*2/ USB2.0*2 /P2P/ONVIF/DHCP/DDNS/ RJ45 10-100-1000M SMART Function/Supports face detection قابلیت پشتیبانی از تقویم شمسی و منوی فارسی	 	52,000,000
30	SM-NM3228 	32CH input & Record 8MP(25FPS)/H.265S ,H.265+ / Bandwidth(Input 112Mbps/Out112Mbps) 32 Audio & Alarm IPC/4 CH local alarm input - 1Ch Output/ SATA3.0 × 2, max 8T per HDD/ HDMI 4K-VGA/2 RCA AUDIO IN & OUT/RS485*2/ USB2.0*2/P2P/ONVIF/DHCP/DDNS/ RJ45 10-100-1000M SMART Function/Supports face detection قابلیت پشتیبانی از تقویم شمسی و منوی فارسی	 	62,250,000

31	SM-NM3248	32CH input & Record 8MP(25FPS)/H.265S ,H.265+/ Bandwidth(Input 112Mbps/Out112Mbps) 32 Audio & Alarm IPC/4 CH local alarm input - 1Ch Output/SATA3.0 × 4, max 8T per HDD/ HDMI 4K-VGA/2 RCA AUDIO IN & OUT/RS485*2/ USB2.0*1 /P2P/ONVIF/DHCP/DDNS/ RJ45 10-100-1000M SMART Function/Supports face detection قابلیت پشتیبانی از تقویم شمسی و منوی فارسی	 	101,875,000
32	SM-NH1628-FR	16CH input & Record 8MP(25FPS)/ H.265S/H.265+/H264+/ Bandwidth(Input 160Mbps/Output 160Mbps) 16 Audio & Alarm IPC input/8Ch local Alarm input - 4Ch Output/2HDD*8TB /Supports face detection and comparison HDMI 4K-VGA/2 RCA AUDIO IN & OUT/RS485*2/ USB2.0*1 & USB3.0*1/P2P/ONVIF/DHCP/DDNS/ RJ45 10-100-1000M SMART Function قابلیت پشتیبانی از تقویم شمسی و منوی فارسی	 	78,750,000
33	SM-NH32412-FR	32CH input & Record 12MP@20fps; 8MP or lower@25fps H.265S/H.265+/H264+/ Bandwidth(Input 192Mbps/Output 192Mbps) 32 Audio IPC input/16Ch local Alarm input - 4Ch Output/4HDD*10TB/eSATA*1/Supports face detection and comparison HDMI*2(4K & 1080P)-VGA/2 RCA AUDIO IN & OUT/RS485*2/ USB2.0*2 & USB3.0*1/P2P/ONVIF/DHCP/DDNS/ RJ45 10-100-1000M * 2 SMART Function قابلیت پشتیبانی از تقویم شمسی و منوی فارسی	 	Call
34	SM-NH32812-FR	32CH input & Record 12MP@20fps; 8MP or lower@25fps H.265S/H.265+/H264+/ Bandwidth(Input 256Mbps/Output 256Mbps) 32 Audio & Alarm IPC input/8HDD*8TB/eSATA*2/HDMI*2(4K & 1080P)-VGA/2 RCA AUDIO IN & OUT/8Ch local Alarm input - 4Ch Output/RS485*2/Supports face detection and comparison/Supports RAID0, RAID1, RAID5, RAID6, RAID10 USB2.0*2 & USB3.0*1/P2P/ONVIF/DHCP/DDNS/ RJ45 10-100-1000M * 2 SMART Function قابلیت پشتیبانی از تقویم شمسی و منوی فارسی	  	Call
35	SM-NH64812	64CH input & Record 12MP@20fps; 8MP or lower@25fps H.265S/H.265+/H264+/ Bandwidth(Input 320Mbps/Output 320Mbps) 64 Audio & Alarm IPC input/8HDD*8TB/eSATA*2/HDMI*2(4K & 1080P)-VGA/2 RCA AUDIO IN & OUT/8Ch local Alarm input - 4Ch Output/RS485*2/Supports RAID0, RAID1, RAID5, RAID6, RAID10 USB2.0*2 & USB3.0*1/P2P/ONVIF/DHCP/DDNS/ RJ45 10-100-1000M * 2 SMART Function/Supports face detection قابلیت پشتیبانی از تقویم شمسی و منوی فارسی	 	Call
36	SM-NH128168	128CH input & Record 8MP(25FPS)/H265+/H264+/ Bandwidth(Input 320Mbps/Output 320Mbps) 128 Audio & Alarm IPC input/16HDD*8TB/eSATA*2/HDMI*2(4K & 1080P)-VGA/2 RCA AUDIO IN & OUT/8Ch local Alarm input - 4Ch Output/RS485*2/Supports RAID0, RAID1, RAID5, RAID10 USB2.0*2 & USB3.0*1/P2P/ONVIF/DHCP/DDNS/ RJ45 10-100-1000M * 2 SMART Function قابلیت پشتیبانی از تقویم شمسی و منوی فارسی	 	Coming soon
Switch				
37	SM-LA42P	6 Ports / 4x10/100M POE + 2*10/100M uplink IEEE802.3af/at , built-in power / TOTAL 75W long distance 200m		11,250,000
38	SM-LC42P	6 Ports / 4x10/100/1000M POE + 2Gigabit uplink IEEE802.3af/at , built-in power / TOTAL 75W long distance 200m		12,500,000
39	SM-LB82P-SF	10 Ports / 8x10/100M POE + 2Gigabit uplink&1SFP port IEEE802.3af/at , built-in power / TOTAL 150W long distance 200m		19,875,000
40	SM-LB162P-SF	18 Ports / 16x10/100M POE + 2Gigabit uplink&1SFP port IEEE 802.3x , built-in power / TOTAL 150W * 2 long distance 200m		42,500,000
41	SM-LB244P	28 Ports/24x10/100M POE + 4Gigabit uplink IEEE802.3af/at built-in power / TOTAL 140W * 3 long distance 200m		Coming soon
42	SM-LC240P-SF	24x10/100/1000M POE + 2SFP port IEEE 802.3x built-in power / TOTAL 150W * 3 long distance 100m		Coming soon

کلیه محصولات لیست با گارانتی شرکت سیماران می باشند