


ردیف	مدل	مشخصات فنی	تصویر	قیمت مصرف کننده (ریال)
	Datasheet Link	IP Camera - IR		
1	SM-IP8414M-W 	1/2.8" SONY CMOS Sensor 8MP(20FPS)/3.6 mm fixed Lens/3Stream/H.265+/H.264+ True WDR 120dB /50m IR/0.1 Lux/ICR auto switch, true day / night ROI coding, 3D DNR, HLC, BLC, defog, Smart IR POE/12VDC/1CH audio input/SD Card Max 256GB /ONVIF/IP67 Metal SMART Functions	 	81,500,000
2	SM-IP8512M-W 	1/2.8" SONY CMOS Sensor 8MP(20FPS)/2.8 mm fixed Lens/3Stream/H.265+/H.264+ True WDR 120dB /30m IR/0.06 Lux/ICR auto switch, true day / night ROI coding, 3D DNR, HLC, BLC, defog, Smart IR POE/12VDC/1CH audio input and 1CH built-in MIC/SD Card Max 256GB /ONVIF/IP67 Metal SMART Functions	  	75,500,000
3	SM-IP5412HM-W	1/2.7" CMOS Sensor 5MP(20FPS)/3.6 mm fixed Lens/3Streams/H265+/H264+/ True WDR 120dB /30m IR/0.007 Lux/ICR auto switch, true day / night ROI coding, 3D DNR, HLC, BLC, Smart IR POE/12VDC/1CH audio input and 1CH built-in MIC/SD Card Max 256GB/ONVIF/IP67 Metal SMART Functions	  	47,500,000
4	SM-IP5416HM-WZ	1/2.7" CMOS Sensor 5MP(20FPS)/2.8 -12mm Motorized Varifocal Lens/3Streams/H265+/H264+/ True WDR 120dB /50m IR/0.007 Lux/ICR auto switch, true day / night ROI coding, 3D DNR, HLC, BLC, Smart IR POE/12VDC/1CH audio input and 1CH built-in MIC/SD Card Max 256GB/ONVIF/IP67 Metal SMART Functions	  	75,000,000
5	SM-IP5512M	1/2.7" CMOS Sensor 5MP(20FPS)/2.8 mm fixed Lens/3Streams/H265+/H264+/ WDR(90dB) /30m IR/0.0236 Lux/ICR auto switch, true day / night ROI coding, 3D DNR, HLC, BLC, defog POE/12VDC/1CH built-in MIC/ONVIF/IP67 Metal SMART Functions	 	50,000,000
6	SM-IP2414H-WSFR 	1/2.8" SONY CMOS Sensor 2MP(25FPS)/2.8 mm fixed Lens/3Streams/Smart coding H.265S/H.264S/H265+/H264+ True WDR 120dB /Starlight /50m IR/0.005 Lux/ICR auto switch, true day / night ROI coding, 3D DNR, HLC, BLC, defog , Smart IR , Support face detection POE/12VDC/1CH Audio Input/SD Card Max 128GB/ONVIF/IP67 Metal SMART Functions - People/vehicle counting	  	59,750,000
7	 SM-IP2412HM-WS	1/2.8" CMOS Sensor 2MP(25FPS)/3.6 mm fixed Lens/3Streams/H265+/H264+/ True WDR 120dB /Starlight /30m IR/0.005 Lux/ICR auto switch, true day / night ROI coding, 3D DNR, HLC, BLC, Smart IR POE/12VDC/1CH audio input/SD Card Max 256GB/ ONVIF/IP67 Metal SMART Functions	  	40,750,000

8	NEW SM-IP2512HM-WS	1/2.8" CMOS Sensor 2MP(25FPS)/2.8 mm fixed Lens/3Streams/ H265+/H264+/ True WDR 120dB /Starlight /30m IR/0.005 Lux/ICR auto switch, true day / night ROI coding, 3D DNR, HLC, BLC, Smart IR POE/12VDC/1CH audio input and 1CH built-in MIC/SD Card Max 256GB/ONVIF/IP67 Metal SMART Functions	  	40,750,000
9	SM-IPN2410L	1/2.8" CMOS Sensor 2MP(25FPS)/3.6mm & 2.8 mm fixed Lens/2Streams/ H265/H264+/ WDR(90dB) /20m IR/0.046 Lux/ICR auto switch, true day / night ROI coding, 3D DNR, HLC, BLC, defog POE/12VDC/ONVIF/IP67(Metal&Plastic) SMART Functions		23,250,000
10	SM-IP2413L 	1/3.2" CMOS Sensor 2MP(25FPS)/2.8 mm fixed Lens/2Streams/ H265/H264+/ WDR(90dB) /20m IR/0.046 Lux/ICR auto switch, true day / night ROI coding, 3D DNR, HLC, BLC, defog POE/12VDC/ONVIF/IP66(Metal) SMART Functions		25,000,000
11	SM-IPN2510L	1/2.8" CMOS Sensor 2MP(25FPS)/2.8 mm fixed Lens/2Streams/ H265/H264+/ WDR(90dB) /20m IR/0.046 Lux/ICR auto switch, true day / night ROI coding, 3D DNR, HLC, BLC, defog POE/12VDC/1CH built-in MIC/ONVIF/IP67(Metal&Plastic) SMART Functions	 	23,250,000
12	SM-IPTZ-2MP-25X/MWS 	1/2.8" SONY progressive scan CMOS Sensor 2MP(25FPS)/ 4.8 ~ 120 mm Motorized Lens/ 25x Optical Zoom/150m IR/Smart coding H.265S,H.265+/ True WDR 120dB/Starlight 1 Ch input, 1 Ch output Audio/1 Ch input ,1 Ch output Alarm/ SD Card Max 256GB/ IP66 Metal/Outdoor/ DC24V,AC24V or PoE+ SMART Functions /Auto Tracking/ Supports face detection and comparison	  5Inch	307,500,000
13	NEW SM-IPTZ-4MP-4X/MSFR	1/2.7" progressive scan CMOS with BSI and NIR+ technology Sensor 4MP(25FPS)/ 2.8-12mm Motorized Lens/ 4x Optical Zoom/50m IR/H.265+,H.264+/ WDR(90dB)/Starlight 1 Ch input, 1 Ch output Audio/ built-in Mics &Speaker (7m for voice recording, 30m for audible warnings) / 1 Ch input ,1 Ch output Alarm/ SD Card Max 256GB/IP66, IK10 Metal/Outdoor/ DC12V 3A, PoE+ SMART Functions/ Auto Tracking/ Supports face detection and comparison/ Active Deterrence (30m White LED)	  3inch	167,500,000
14	SM-IP2600HCW/WF 	2MP Cube Wi-Fi Network Camera 1/2.7" CMOS Sensor 2MP(25FPS)/2.8 mm fixed Lens/3Streams/ H265/H264+/ True WDR 120dB/10m IR/0.03 Lux/ICR auto switch, true day / night, ROI coding, 3D DNR, HLC, BLC, defog POE/12VDC/1CH built-in MIC and 1CH built-in speaker/1 Ch input ,1 Ch output Alarm/SD Card Max 128GB/ONVIF/Support Wi-Fi, 50m Wireless Range SMART Functions	  	42,500,000
 IP Camera - CV				
15	NEW SM-IP4410CVL	1/3" CMOS Sensor 4MP(25FPS)/ 3.6mm fixed Lens/3Streams/ H265/ H264+/ WDR(90dB)/10~ 20m white light view distance/0.03 lux ROI coding, 3D DNR, HLC, BLC POE/12VDC/1CH built-in MIC/ONVIF/IP67(Metal&Plastic) SMART Functions	  	32,750,000

16	NEW SM-IP4510CVL	1/3" CMOS Sensor 4MP(25FPS)/ 2.8mm fixed Lens/3Streams/ H265/ H264+ / WDR(90dB)/10~ 20m white light view distance/0.03 lux ROI coding, 3D DNR, HLC, BLC POE/12VDC/ 1CH built-in MIC/ONVIF/IP67 (Metal&Plastic) SMART Functions	 Full-Color  	32,750,000
17	SM-IP2410CVL	1/2.8" CMOS Sensor 2MP(25FPS)/ 3.6mm fixed Lens/2Streams/ H265/ H264+ / WDR(90dB)/10~ 20m white light view distance/0.0462 lux ROI coding, 3D DNR, HLC, defog POE/12VDC/ ONVIF/IP67 (Metal&Plastic) SMART Functions	 Full-Color 	25,750,000
18	SM-IP2510CVL	1/2.8" CMOS Sensor 2MP(25FPS)/ 3.6mm fixed Lens/2Streams/ H265/ H264+ / WDR(90dB)/10~ 20m white light view distance/0.0462 lux ROI coding, 3D DNR, HLC, BLC, defog POE/12VDC/ 1CH built-in MIC/ONVIF/IP67 (Metal&Plastic) SMART Functions	 Full-Color  	25,750,000
NVR				
19	SM-NL4016 	4CH input & Record 6MP@25fps /H.265S ,H.265+/ Bandwidth(Input 32Mbps/Output 32Mbps) 4CH Audio/Alarm IPC input/ SATA2.0 × 1, max 8T / HDMI-VGA/USB2.0*2/ P2P/ ONVIF/DHCP/DDNS/ RJ45 100Mbps × 1 SMART Function/Supports face detection قابلیت پشتیبانی از تقویم شمسی و منوی فارسی	 VCA 	32,500,000
20	SM-NL8016 	8CH input & Record 6MP@25fps /H.265S ,H.265+/ Bandwidth(Input 56Mbps/Output 56Mbps) 8CH Audio/Alarm IPC input/ SATA2.0 × 1, max 8T/ HDMI-VGA/USB2.0*2/ P2P/ ONVIF/DHCP/DDNS/ RJ45 100Mbps × 1 SMART Function/Supports face detection قابلیت پشتیبانی از تقویم شمسی و منوی فارسی	 VCA 	41,250,000
21	SM-NM1618 	16CH input & Record 8MP(25FPS)/H.265S ,H.265+/ Bandwidth (Input112Mbps/Output 112Mbps) 16 Audio & Alarm IPC/ SATA3.0 × 1, max 8T/ HDMI 4K-VGA/ 2 RCA AUDIO IN & OUT/ USB2.0*2 /P2P/ONVIF/DHCP/DDNS/ RJ45 10-100-1000M SMART Function/Supports face detection قابلیت پشتیبانی از تقویم شمسی و منوی فارسی	 VCA 	63,250,000
22	SM-NM1628 	16CH input & Record 8MP(25FPS)/H.265S ,H.265+/ Bandwidth (Input112Mbps/Output 112Mbps) 16 Audio & Alarm IPC/4 CH local alarm input- 1Ch Output/ SATA3.0 × 2, max 8T per HDD/HDMI 4K-VGA 2 RCA AUDIO IN & OUT/RS485*2/ USB2.0*2 /P2P/ONVIF/DHCP/DDNS/ RJ45 10-100-1000M SMART Function/Supports face detection قابلیت پشتیبانی از تقویم شمسی و منوی فارسی	 VCA 	75,250,000
23	SM-NM3228 	32CH input & Record 8MP(25FPS)/H.265S ,H.265+/ Bandwidth(Input 112Mbps/Out112Mbps) 32 Audio & Alarm IPC/4 CH local alarm input - 1Ch Output/ SATA3.0 × 2, max 8T per HDD/ HDMI 4K-VGA/2 RCA AUDIO IN & OUT/RS485*2/ USB2.0*2/P2P/ONVIF/DHCP/DDNS/ RJ45 10-100-1000M SMART Function/Supports face detection قابلیت پشتیبانی از تقویم شمسی و منوی فارسی	 VCA 	87,500,000

24	SM-NM3248 	32CH input & Record 8MP(25FPS)/H.265S ,H.265+/ Bandwidth(Input 112Mbps/Out112Mbps) 32 Audio &Alarm IPC/4 CH local alarm input - 1Ch Output/ SATA3.0 × 4, max 8T per HDD/ HDMI 4K-VGA/2 RCA AUDIO IN & OUT/RS485*2/ USB2.0*2 /P2P/ONVIF/DHCP/DDNS/ RJ45 10-100-1000M SMART Function/ Supports face detection قابلیت پشتیبانی از تقویم شمسی و منوی فارسی	 VCA 	142,500,000
Switch				
25	SM-LA42P	6 Ports / 4x10/100M POE + 2*10/100M uplink IEEE802.3af/at , built-in power / TOTAL 75W long distance 200m		17,500,000
26	SM-LB82P-SF	10 Ports / 8x10/100M POE + 2Gigabit uplink&1SFP port IEEE802.3af/at , built-in power / TOTAL 150W long distance 200m		28,750,000
کلیه محصولات لیست با گارانتی شرکت سیماران می باشند				